

SANDIA REPORT

SAND2004-2169
Unlimited Release
Printed June 2004

Site Environmental Report for 2003 Sandia National Laboratories, California



B. L. Larsen

Prepared by
Sandia National Laboratories
Livermore, California 94550

Lockheed Martin Company, for the United States Department of
Energy under Contract DE-AC04-94AL85000.

Approved for public release; further dissemination unlimited.



Sandia National Laboratories



Issued by Sandia National Laboratories, operated for the United States Department of Energy by Sandia Corporation.

NOTICE: This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government, nor any agency thereof, nor any of their employees, nor any of their contractors, subcontractors, or their employees, make any warranty, express or implied, or assume any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represent that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government, any agency thereof, or any of their contractors or subcontractors. The views and opinions expressed herein do not necessarily state or reflect those of the United States Government, any agency thereof, or any of their contractors.

Printed in the United States of America. This report has been reproduced directly from the best available copy.

Available to DOE and DOE contractors from

U.S. Department of Energy
Office of Scientific and Technical Information
P.O. Box 62
Oak Ridge, TN 37831

Telephone: (865) 576-8401
Facsimile: (865) 576-5728
E-Mail: reports@adonis.osti.gov
Online ordering: <http://www.doe.gov/bridge>

Available to the public from

U.S. Department of Commerce
National Technical Information Service
5285 Port Royal Road
Springfield, VA 22161

Telephone: (800) 553-6847
Facsimile: (703) 605-6900
E-Mail: orders@ntis.fedworld.gov
Online order: <http://www.ntis.gov/ordering.htm>



SAND 2004-2169
Unlimited Release
Printed June 2004

Site Environmental Report for 2003 Sandia National Laboratories, California

Barbara L. Larsen
Environmental Operations Department
Sandia National Laboratories, California

ABSTRACT

Sandia National Laboratories, California (SNL/CA) is a government-owned/contractor-operated laboratory. Sandia Corporation, a Lockheed Martin Company, operates the laboratory for the Department of Energy's (DOE) National Nuclear Security Administration. The DOE Sandia Site Office oversees operations at the site, using Sandia Corporation as a management and operating contractor. This Site Environmental Report for 2003 was prepared in accordance with DOE Order 231.1A. The report provides a summary of environmental monitoring information and compliance activities that occurred at SNL/CA during calendar year 2003. General site and environmental program information is also included.

Preface

Each year, Sandia National Laboratories, California (SNL/CA) prepares a summary report to provide environmental information to the local community, pursuant to the requirements of Department of Energy Order 231.1A. The Site Environmental Report for 2003 summarizes SNL/CA's compliance with environmental requirements, presents the results of monitoring and surveillance activities, and provides an update of site environmental programs.

The Site Environmental Report for 2003 was prepared for ease in readability. Each chapter focuses on a specific topic or area. Reference to other sections and chapters is made throughout the report to avoid redundancy. Detailed data is provided only when necessary to improve the presentation of information and the quality of the document. Acronyms are defined within each chapter as well as listed at the beginning of the report. References are compiled into one list and presented at the end of the document.

This report was prepared by the SNL/CA Environmental Operations Department under the direction of Jim Bartel. The primary author is Barbara Larsen. Key contributors of information for the document are Mark Brynildson, Deanna Dicker, Laurie Farren, Leighton Ford, Leslee Gardizi, Janet Harris, Robert Holland, Rick Shih, and Warren TenBrook. Sandy Leo provided technical editing for the document, assisted with verifying text accuracy, and provided support with technical writing. Credit for the cover photograph is given to Warren TenBrook.

Additional information about this report can be obtained from:

Sandia National Laboratories, California
Public and Media Relations Office
P.O. Box 969
Livermore, CA 94551-0969
Attention: Mike Janes
Phone: (925) 294-2447
e-mail: mejanes@sandia.gov

or

U.S. Department of Energy
National Nuclear Security Administration
Sandia Site Office
P.O. Box 5400
Albuquerque, NM 87185-5400
Attention: Karen Agogino
Phone: (505) 845-6100
e-mail: kagogino@doeal.gov

Contents

1	Executive Summary	1-1
1.1	Overview	1-1
1.2	Performance Measures	1-1
1.3	Environmental Management	1-2
1.4	Environmental Monitoring	1-2
2	Introduction	2-1
2.1	History and Mission	2-1
2.2	Location	2-1
2.3	Site Population	2-3
2.4	Environmental Setting.....	2-3
2.4.1	Geology and Soils.....	2-4
2.4.2	Hydrology and Water Resources	2-5
2.4.3	Climate and Meteorology	2-7
2.4.4	Ecology	2-7
3	Compliance Summary.....	3-1
3.1	DOE Order 450.1	3-1
3.2	National Environmental Policy Act	3-1
3.3	Air Quality	3-2
3.3.1	Clean Air Act.....	3-2
3.3.2	Radionuclide Emissions.....	3-2
3.4	Natural and Cultural Resources	3-3
3.4.1	Endangered Species Act	3-3
3.4.2	Migratory Bird Treaty Act.....	3-3
3.4.3	Floodplain Management	3-4
3.4.4	Protection of Wetlands	3-4
3.4.5	National Historic Preservation Act.....	3-4
3.5	Environmental Restoration	3-4
3.5.1	Comprehensive Environmental Response, Compensation, and Liability Act.....	3-4
3.5.2	Site Cleanup Orders	3-5
3.6	Hazardous Materials	3-5
3.6.1	Emergency Planning and Community Right-to-Know Act.....	3-5
3.6.2	California Hazardous Materials Release Response Plans and Inventory Law	3-6
3.6.3	Underground Storage Tanks	3-6
3.6.4	Toxic Substances Control Act	3-6
3.6.5	Federal Insecticide, Fungicide, and Rodenticide Act	3-7
3.7	Pollution Prevention and Waste Minimization	3-7
3.7.1	Executive Order 13101	3-7
3.7.2	Hazardous Waste Source Reduction and Management Review Act	3-7
3.7.3	Pollution Prevention Act.....	3-8
3.8	Hazardous Waste.....	3-8
3.8.1	Federal Facility Compliance Act	3-8
3.8.2	Resource Conservation and Recovery Act	3-8
3.8.3	California Hazardous Waste Control Law.....	3-9
3.8.4	Medical Waste Management Act.....	3-9

3.9	Radiation Protection	3-9
3.9.1	Atomic Energy Act	3-9
3.9.2	DOE Order 435.1, Radioactive Waste Management	3-10
3.9.3	DOE Order 5400.5, Radiation Protection of the Public and the Environment.....	3-10
3.10	Water Quality and Protection	3-10
3.10.1	Clean Water Act.....	3-11
3.11	Executive Order 13148.....	3-13
3.12	Audits and Assessments	3-13
3.12.1	Alameda County Assessment	3-13
3.12.2	Bay Area Air Quality Management District Audit	3-13
3.12.3	City of Livermore Wastewater Audit	3-13
3.12.4	Internal Waste Operations Program Audit.....	3-14
3.12.5	DOE Waste Operations Program Assessment	3-15
3.12.6	DOE Wastewater Assessment.....	3-15
3.13	Environmental Occurrences	3-15
3.14	Permits.....	3-15
4	Environmental Program Information	4-1
4.1	Environmental Management.....	4-1
4.2	Environmental Performance	4-2
4.3	Environmental Programs	4-2
4.3.1	Environmental Program Highlights	4-3
5	Environmental Monitoring.....	5-1
5.1	Storm Water.....	5-1
5.2	Wastewater	5-2
5.2.1	Sewer Outfall	5-3
5.2.2	Liquid Effluent Control System	5-7
5.2.3	Categorical Processes.....	5-7
5.3	Groundwater	5-8
5.4	Radiation Monitoring	5-11
6	Quality Assurance	6-1
6.1	Program Quality Assurance.....	6-1
6.2	Environmental Sampling	6-1
6.3	Sample Analyses	6-2
6.3.1	Accredited Laboratory.....	6-2
6.3.2	SNL/CA Health Physics Laboratory	6-2
6.3.3	SNL/NM Health Instrumentation Laboratory	6-2
6.4	Data Verification and Validation.....	6-3
6.4.1	Quality Control Samples	6-3
6.4.2	Statistical Analyses	6-3
7	References	7-1
8	Glossary	8-1
9	Groundwater Analytical Results.....	9-1
10	Distribution List	10-1

Figures

Figure 2-1 Regional Location Map	2-2
Figure 2-2 SNL/CA Site Map.....	2-3
Figure 2-3 SNL/CA Topography.....	2-4
Figure 2-4 Regional Earthquake Faults	2-5
Figure 2-5 Wildlife and Habitat at SNL/CA, 2003	2-8
Figure 4-1 Total Recycled Materials at SNL/CA, 1999 to 2003	4-8
Figure 5-1 Storm Water Sampling Locations.....	5-3
Figure 5-2 Weekly Composite Copper Concentrations in Wastewater, SNL/CA Sewer Outfall	5-6
Figure 5-3 Weekly Composite Zinc Concentrations in Wastewater, SNL/CA Sewer Outfall.....	5-6
Figure 5-4 Groundwater Monitoring Well Locations.....	5-10
Figure 5-5 Dosimeter Locations at SNL/CA and Around Site Perimeter	5-12
Figure 5-6 Dosimeter Locations in Livermore Valley	5-13

Tables

Table 3-1 Status of EPCRA Reporting at SNL/CA, 2003	3-6
Table 3-2 Order 5400.5 Compliance Summary, 2003	3-11
Table 3-3 Wastewater Discharge Permit Exceedances at Sanitary Sewer Outfall, 2003.....	3-12
Table 3-4 SNL/CA Activities in Support of Executive Order 13148	3-14
Table 3-5 SNL/CA Environmental Permits and Orders, 2003	3-16
Table 4-1 Criteria Pollutant Emission Rates at SNL/CA.....	4-3
Table 4-2 Toxic Emission Rates at SNL/CA	4-4
Table 4-3 Comparison of 2003 Operations with SWEA Envelope	4-6
Table 4-4 SNL/CA Recycling Data, 2003	4-8
Table 4-5 Waste Generated at SNL/CA, 2002 and 2003	4-9
Table 5-1 Summary of Analytical Results for Storm Water, 2002/2003 Wet Season.....	5-3
Table 5-2 Sewer Outfall Sampling Schedule, 2003	5-4
Table 5-3 Weekly Composite Sewer Outfall Monitoring Results – Physical Parameters and Metals, 2003.....	5-5
Table 5-4 Batch Discharges and Monitoring for Metal Finishing Categorical Process, 2003.....	5-8
Table 5-5 Monitoring for Semiconductor Manufacturing Categorical Process, 2003	5-8
Table 5-6 Groundwater Sampling Schedule, 2003	5-9
Table 5-7 Summary of Groundwater Analyses at Navy Landfill and Trudell Wells, 2003.....	5-10
Table 5-8 Summary of Groundwater Analyses at Arroyo Seco Wells, 2003	5-10
Table 6-1 Summary of Statistical Analyses, 2003	6-4
Table 9-1 Results of Groundwater Analyses at SNL/CA, 2003	9-2

Acronyms and Abbreviations

ALARA	as low as reasonably achievable
BAAQMD	Bay Area Air Quality Management District
BTEX	Benzene, toluene, ethylbenzene, and xylene
CCR	California Code of Regulations
CARB	California Air Resources Board
CEARP	Comprehensive Environmental Assessment and Response Program
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
CFR	Code of Federal Regulations
DOE	Department of Energy
DOE/SSO	Department of Energy, Sandia Site Office
DTSC	Department of Toxic Substances Control (California)
EO	executive order
EPA	Environmental Protection Agency
EPCRA	Emergency Planning and Community Right-to-Know Act
ES&H	environment, safety, and health
FIFRA	Federal Insecticide, Fungicide, and Rodenticide Act
FONSI	Finding of No Significant Impact
General Construction Permit	State of California, NPDES General Permit to Discharge Storm Water Associated with Construction Activity
General Permit	State of California, NPDES General Permit for Storm Water Discharge Associated with Industrial Activities
ISMS	integrated safety management system
kg	kilogram
LECS	liquid effluent control system
LLNL	Lawrence Livermore National Laboratory
MCLs	maximum contaminant levels
mg/L	milligrams per liter
mrem	millirem
mSv	milliSievert
ND	non-detectable
NEPA	National Environmental Policy Act
NNSA	National Nuclear Security Administration
NPDES	national pollutant discharge elimination system

ODS	ozone depleting substances
PCB	polychlorinated biphenyl
pCi/L	picocuries per liter
POTW	publicly owned treatment works
PPOA	pollution prevention opportunity assessment
PP/WM	Pollution Prevention and Waste Minimization
QAP	quality assurance program
QAPP	quality assurance program plan
RCRA	Resource Conservation and Recovery Act
RWQCB	Regional Water Quality Control Board (California)
SNL	Sandia National Laboratories
SNL/CA	Sandia National Laboratories, California
SNL/NM	Sandia National Laboratories, New Mexico
SWEA	Site-wide Environmental Assessment
TPHD	total petroleum hydrocarbons diesel
TRI	toxic release inventory
TSCA	Toxic Substances Control Act
µg/L	micrograms per liter
U.S.	United States
USC	United States Code
USFWS	United States Fish and Wildlife Service
UST	underground storage tank

1 Executive Summary

1.1 Overview

Sandia National Laboratories is one of three national laboratories supporting the U.S. Department of Energy (DOE) statutory responsibilities for nuclear weapon research and design, development of energy technologies, and basic scientific research. Sandia has facilities in New Mexico, California, Nevada, and Hawaii. Sandia National Laboratories, California (SNL/CA) is a multi-program engineering and science laboratory supporting the nuclear weapons stockpile program, energy and environment research, homeland security, micro- and nano-technologies, and basic science and engineering research.

The Site Environmental Report provides a summary of environmental management performance and compliance efforts at SNL/CA for calendar year 2003. The document also satisfies the DOE requirement for preparation of an annual environmental report as listed in *DOE Order 231.1A, Environment, Safety, and Health Reporting* (DOE 2003d). The objective of DOE Order 231.1A is to ensure timely collection, reporting, analysis, and dissemination of information on ES&H issues at DOE facilities.

The Site Environmental Report is divided into ten chapters. Chapter 1, the Executive Summary, highlights compliance and monitoring results obtained in 2003. Chapter 2 provides a brief introduction to SNL/CA and the existing environment found onsite. Chapter 3 summarizes SNL/CA's compliance activities with the major environmental requirements applicable to site operations. Chapter 4 presents information on environmental management, performance measures, and environmental programs. Chapter 5 presents the results of monitoring and surveillance activities in 2003. Chapter 6 discusses quality assurance. Chapters 7 through 9 provide supporting information for the report and Chapter 10 is the report distribution list.

1.2 Performance Measures

SNL/CA's environmental performance is evaluated against corporate-wide performance measures established jointly by the DOE/Sandia Site Office (DOE/SSO) and Sandia Corporation. For fiscal year 2003 (October 1, 2002 through September 30, 2003), three performance groups were evaluated. Sandia's performance rating for the mission-critical support group, of which ES&H measures are a part, was "good" in 2003. Additional information about performance measures is provided in Chapter 4.

1.3 Environmental Management

Environmental management at Sandia facilities, including SNL/CA, is an element in the Integrated Safety Management System (ISMS). The Environmental Management System (EMS) and ISMS are further enhanced with a corporate ES&H program and policy. EMS/ISMS includes five management functions that support work planning, hazard analysis, hazard control, work performance, and feedback and improvement. The ES&H program mandates compliance with laws, regulations, and DOE directives. The ES&H policy identifies the strategy for environmental compliance. The entire Sandia workforce is responsible for implementing ISMS and incorporating ES&H policy and procedures into their work activities. The ES&H program manual directs and guides environmental compliance activities and assists the Sandia workforce in meeting compliance requirements. In 2003, the corporate ES&H policy was modified to better meet ISMS principles, and new ES&H Performance Excellence Objectives were issued that identify zero injuries, environmental incidents, and ES&H violations as goals for all Sandia facilities. Additional information on environmental management is presented in Section 4.1.

1.4 Environmental Monitoring

SNL/CA monitors storm water, wastewater, groundwater, and direct (ambient) radiation. The results of monitoring show that no pollutants were detected in storm water runoff at levels that are a cause for concern, and that all wastewater generated by site operations complied with the site outfall discharge limits for regulated physical parameters and most metals. The site exceeded the discharge limit for copper at the sewer outfall on one occasion in 2003. SNL/CA continued to see carbon tetrachloride in groundwater at the Navy Landfill well in 2003 with concentrations similar to those detected in past years. Wells at the Fuel Oil Spill site were dry during 2003; consequently, no samples were collected. The average annual external radiation dose at the site perimeter was 54.3 mrem (0.54 mSv), which is within the dose range measured over the last ten years. Monitoring data indicate that SNL/CA is not contributing significantly to the external radiation dose in the area. Additional information about environmental monitoring at SNL/CA is provided in Chapter 5.

2 Introduction

2.1 History and Mission

Sandia National Laboratories, California (SNL/CA) was established in 1956 by Sandia Corporation to provide a closer relationship with Lawrence Livermore National Laboratory (LLNL) and their nuclear weapons design work. The SNL/CA facility evolved into an engineering research and development laboratory by the early 1960s, and into a multi-program engineering and science laboratory during the 1970s. As international arms control efforts increased in the late 1970s and throughout the 1980s, the United States emphasized treaty monitoring, safety, security, and control of the national nuclear weapons stockpile. With the end of the Cold War in the late 1980s, the role of SNL/CA to support stockpile stewardship ensuring nonproliferation and continued safety, security, and reliability, took on greater importance.

Research Activities at SNL/CA

- Science-based performance and reliability testing and computer-based modeling of nuclear weapon components
- Development, design, and testing of nonnuclear components for nuclear weapon systems
- Development and testing of materials and diagnostic equipment in support of defense programs, homeland security, and basic science and engineering
- Energy and environmental research
- Research and development of microelectronics, microsystems, and nanotechnologies

SNL/CA is a national laboratory dedicated to enabling global peace through unmatched contributions to our nation's security. Our core mission is exceptional stewardship of the nation's nuclear deterrent through valued solutions offered by our science based engineering approach. The mission and approach are expanded by broader roles in national security emphasizing defense and nonproliferation of weapons of mass destruction, energy and information surety, and unique contributions to our nation's conventional military capabilities.

SNL/CA is a government owned/contractor operated laboratory. The site, the buildings, and the equipment are owned by the government;

while Sandia Corporation, a Lockheed Martin Company, operates the laboratory for the Department of Energy's (DOE) National Nuclear Security Administration (NNSA). The DOE/Sandia Site Office (DOE/SSO) oversees the operations at the site, using Sandia Corporation as a management and operating contractor.

2.2 Location

SNL/CA is located approximately 40 miles east of San Francisco, near the City of Livermore in eastern Alameda County. The site lies at the western base of the Altamont Hills on

relatively flat terrain with low relief sloping gently northwest and north. Figure 2-1 shows the regional location of the site.

SNL/CA occupies 410 acres. The main campus (134 acres) is surrounded on the east, south and west by undeveloped land (Figure 2-2, Site Map). To the north of SNL/CA are East Avenue and LLNL. Land use to the east and south of the site is agricultural and low-density residential. A residential development is underway to the west of SNL/CA.



Figure 2-1 Regional Location Map




Figure 2-2 SNL/CA Site Map

2.3 Site Population

The SNL/CA workforce is comprised of Sandia employees (full and part-time staff, student interns, and post-doctoral appointees) and contractor staff. In September 2003, there were 1067 Sandia employees working at SNL/CA, the same as in 2002. Eighty-eight percent of Sandia employees live in Alameda, Contra Costa, and San Joaquin counties. Thirty-eight percent live in Livermore. The contractor workforce fluctuates throughout the year depending on program staffing needs. An estimate of contractor staff is not available.

2.4 Environmental Setting

The following summarizes the environmental setting at SNL/CA. Additional information can be found in the *Final Site-wide Environmental Assessment of the Sandia National Laboratories/California* (DOE 2003a).

2.4.1 *Geology and Soils*

SNL/CA is located in the California Coast Ranges geologic province in the southeastern portion of the Livermore Valley. The valley forms an irregularly shaped lowland area about 16 miles long, east to west, and 7 to 10 miles wide, north to south. The land at SNL/CA slopes gently to the northwest and north, with steep terrain in the southern portion of the site and along the banks of Arroyo Seco. The site ranges in elevation from 615 feet above mean sea level at the northwest corner of the property to 849 feet at the southern end. Site topography is depicted on Figure 2-3.




Figure 2-3 SNL/CA Topography

SNL/CA is located in a seismically active region. The major fault systems in the area are the San Andreas Fault system and the much older Coast Range thrust fault system. The upper plate of the Coast Range thrust formed the northwest trending Coast Range, including the Altamont Hills. Any seismic activity in the Livermore Valley would probably result from movement on the San Andreas Fault, a right-lateral strike-slip fault system trending northwest-southeast, extending from Point Arena to the Gulf of California. The regional faults closest to SNL/CA, the Hayward, Calaveras, Greenville, and Tesla faults follow this

trend, and have been seismically active in the historic past. A magnitude 5.8 earthquake on the Greenville fault in 1980 caused minor damage at SNL/CA and in the Livermore Valley. The Las Positas fault crossing SNL/CA is a transverse fault, at right angles to the Greenville fault, and was active during this earthquake. The Verona fault is a low angle thrust fault, dissimilar to the regional faulting, and probably not connecting with either the Calaveras or Las Positas faults. Only microseismicity was recorded on the Verona fault in 1980. These faults are shown on Figure 2-4.




Figure 2-4 Regional Earthquake Faults

Surface soils and arroyo sediments cover the SNL/CA site. Underlying soils at the site are formed primarily upon sediments deposited by local streams. Three soils cover most of SNL/CA: Rincon clay loam, Positas gravelly loam, and Livermore gravelly loam. There are no known mineral resources or fossil occurrences at the site.

2.4.2 Hydrology and Water Resources

Groundwater in the SNL/CA area occurs within saturated unconsolidated geologic material. Depth to groundwater varies from approximately 80 feet in the northwest corner of the site to

126 feet on the east side of the site. Water bearing-units beneath the site are composed of shallow heterogeneous, unconsolidated alluvium and deep fluvial and lacustrine sediments. Groundwater near SNL/CA is generally suitable for use as domestic, municipal, agricultural, and industrial supply. However, some shallower groundwater may be of marginal quality and not suitable for industrial or agricultural purposes. Groundwater less than 300 feet deep is usually unsuitable for domestic use without treatment.

SNL/CA purchases potable water from LLNL, who is supplied by the San Francisco Water District through the Hetch Hetchy Aqueduct. Additionally, the Alameda County Flood Control and Water Conservation District, Zone 7, supplements this primary water source as needed. SNL/CA's water use is not separately metered but is estimated to be 20 percent of LLNL's water use. In 2003, SNL/CA used an estimated 52.6 million gallons of water and discharged approximately 9.8 million gallons of wastewater. Water losses include irrigation, cooling towers, water tank releases, evaporative losses, eyewash and safety shower testing, fire system testing, and wash water from liquid effluent control system tanks that is trucked offsite for disposal.

There are no perennial streams or natural surface water bodies at SNL/CA. The Arroyo Seco,



an ephemeral and intermittent stream, diagonally traverses the site from southeast to northwest. The creek typically flows only in very wet years, and for short periods of time during heavy storms. A seasonal wetland that is wet well into June, and sometimes July, is located in the creek bed along the eastern part of the arroyo. Storm water runoff at SNL/CA is conveyed to Arroyo Seco through a system of storm drains and channels. The Arroyo Seco and seasonal wetland are shown on Figure 2-5.

Two manmade ponds, encompassing approximately 2.7 acres, are located in the west buffer at SNL/CA. These ponds were constructed by LLNL in 1989 and serve as a recharge basin for their groundwater treatment program. Treated water discharged to the recharge basin percolates throughout the underlying unsaturated sediments to recharge the two shallowest groundwater units (SNL 2002a). The ponds and resulting open water habitat are maintained and managed by LLNL.

Between 1989 and 2003, treated water from the LLNL site was routinely discharged to the recharge basin ponds. However, LLNL's program requirements changed during 2003, reducing the need to discharge water to the ponds. The basin is currently used as a backup location for discharge of treated water. Treated water was last discharged to the basin in July 2003.

2.4.3 Climate and Meteorology

The climate at SNL/CA is typical of the Mediterranean conditions in the San Francisco Bay region where cool, wet winters and hot, dry summers are normal. In the summer, inland valleys, such as the Livermore Valley, generally experience more sunshine and higher temperatures than the coastal areas. In the winter, temperatures in the valley are usually cooler than at the coast.

Meteorological data for the SNL/CA area was obtained from a meteorological tower located approximately one mile north at LLNL. In past years, data was also obtained from a tower located onsite. However, recording errors were found in the data from the Sandia tower during 2003; consequently, onsite data is not included in the 2003 statistics. The average annual rainfall near SNL/CA over the last five years was 10.8 inches. The annual rainfall for 2003 was 9.2 inches. Temperatures in 2003 ranged from 27° to 103° Fahrenheit. The windiest months in the area occur in the spring and summer, and are dominated by westerly sea breezes. The winds during the fall and winter are typically lighter and more varied in direction.

2.4.4 Ecology

The plant community at SNL/CA is typical of the surrounding region, consisting primarily of grassland. Localized areas of coyote brush scrub, willow riparian woodland, and aquatic habitat are also present. Areas developed and disturbed by Sandia operations constitute an additional habitat type, designated altered habitat. Habitat types are depicted on Figure 2-5. No threatened, endangered, proposed, or candidate plant species are present onsite.

A variety of wildlife species live and forage at SNL/CA. Since 1994, more than seventy bird species¹, five species of amphibians and reptiles, and fifteen mammal species have been observed onsite. No threatened or endangered wildlife species are present onsite. One proposed wildlife species, the California tiger salamander (*Ambystoma californiense*) is known to occur at SNL/CA. Suitable aquatic habitat located at SNL/CA was surveyed for California tiger salamanders in 2001, 2002, and 2003. No larvae or adult salamanders were found during these surveys. However, there was a recent sighting of a tiger salamander on January 6, 2003, when one salamander was found in a shallow depression filled with leaf litter.

¹ In 2003, a site-wide bird survey conducted at SNL/CA resulted in identifying additional bird species that had previously not been identified onsite. The number of bird species observed since 1994 increased from 58 to 72.




Figure 2-5 Wildlife and Habitat at SNL/CA, 2003

Most of the bird species found onsite are protected under the Migratory Bird Treaty Act. Several of these are also special concern species. The golden eagle (*Aquila chrysaetos*), ferruginous hawk (*Buteo regalis*), Cooper's hawk (*Accipiter cooperii*), northern harrier (*Circus cyaneus*), prairie falcon (*Falco mexicanus*), and tri-colored blackbird (*Agelaius tricolor*) are California species of special concern. The white-tailed kite (*Elanus leucurus*) is a California fully protected species. The loggerhead shrike (*Lanius ludovicianus*) and western burrowing owl (*Athene cunicularia*) are both federal and California species of special concern. Of these special concern species, the loggerhead shrike and the tri-colored blackbird are the only ones that were observed nesting at SNL/CA in 2003. The others are believed to be foraging onsite but not nesting.



SNL/CA is within the range of the California red-legged frog (*Rana aurora draytonii*), a threatened species under the *Endangered Species Act*. In surveys conducted at SNL/CA since 1997, no red-legged frogs have been found onsite. In May, June, and July 2003, Sandia staff conducted day and night surveys for California red-legged frogs. No egg masses, adult or juvenile frogs were found during these surveys. An unconfirmed sighting of an adult red-legged frog was made at the LLNL recharge basin on July 9, 2003. In surveys conducted after this date, no red-legged frogs were seen or heard at the recharge basin.

SNL/CA is located within the range of the mountain lion (*Puma concolor*). The mountain lion is designated a “specially protected mammal” under California law. Beginning in July of 2003, there have been unconfirmed mountain lion sightings at SNL/CA. Investigations are currently underway into the possible visitation of the site by mountain lions. Information obtained from these investigations will be used to develop measures to increase personal safety for the SNL/CA workforce and site visitors.

Intentionally Left Blank

3 Compliance Summary

Sandia National Laboratories, California (SNL/CA) operates in compliance with the letter and spirit of applicable federal, state, and local environmental laws and regulations. Additionally, as a Department of Energy (DOE) facility, the site is subject to DOE directives (DOE orders), and to presidential executive orders. This chapter provides a summary of SNL/CA compliance with major environmental requirements for the calendar year 2003.

3.1 DOE Order 450.1

DOE Order 450.1, Environmental Protection Program was issued by DOE on January 15, 2003 and incorporated into the Sandia management and operating contract on August 21, 2003. Order 450.1 outlines the basic strategy for environmental compliance at DOE facilities, including SNL/CA. It supersedes and cancels DOE Order 5400.1.

The objectives of Order 450.1 are to implement sound environmental stewardship practices, and to meet or exceed compliance with environmental, public health, and resource protection laws, regulations, and DOE requirements (DOE 2003b). The order requires DOE sites to meet these objectives through an environmental management system that integrates environment, safety, and health into work planning and execution. In 2003, Sandia National Laboratories modified its corporate environment, safety, and health (ES&H) policy and is continuing to define its environmental management system that is included as an element of the Integrated Safety Management System. Additional information on the ES&H program is provided in Chapter 4.

3.2 National Environmental Policy Act

The National Environmental Policy Act (NEPA) is the basic national charter for protection of the environment. It requires all federal agencies to evaluate the affects of major federal actions on the human environment, including the physical, socioeconomic, and cultural environments. NEPA review of DOE actions is conducted in accordance with *DOE NEPA Implementing Procedures* (10 CFR 1021). Under these procedures, DOE may prepare a programmatic (including site-wide) document at any time to further the purposes of NEPA. In 2003, the DOE/Sandia Site Office (DOE/SSO) issued a site-wide environmental assessment (SWEA) for continued operations at Sandia National Laboratories, California (DOE 2003a) and a Finding of No Significant Impact (FONSI) on March 20, 2003 (DOE 2003c). The SWEA evaluates the impacts of site operations over the next ten years, and the FONSI concludes that continuation of site operations is not a major federal action significantly affecting the quality of the human environment.

SNL/CA supports compliance with NEPA and DOE's NEPA Implementing Procedures by reviewing all new projects and programs or changes to existing projects and programs to

ensure that they fit within the bounds of existing NEPA documents and impact analyses for the site. The SNL/CA NEPA review process is documented in an administrative procedure. The procedure is reviewed and updated every three years, or as needed. NEPA data for 2003 are provided in Section 4.3.1, Environmental Program Highlights.

3.3 Air Quality

3.3.1 Clean Air Act

The Clean Air Act (42 USC § 7401) is the federal statute that forms the basis for the national air pollution control effort. It authorizes the Environmental Protection Agency (EPA) to promulgate air quality regulations and establishes national ambient air quality standards for criteria pollutants. Authority to implement the requirements of the Clean Air Act is provided to each state that has an EPA approved State Implementation Plan. The State Implementation Plan for California describes how National Ambient Air Quality Standards will be obtained in each air district. Each district establishes and enforces air pollution regulations to attain and maintain state and federal ambient air quality standards. The Bay Area Air Quality Management District (BAAQMD) is the regulating authority for controlling air pollution from stationary sources at SNL/CA. The California Air Resources Board (CARB) is responsible for ensuring that federal and state standards are met for mobile and small “area” sources of air pollution.

SNL/CA works with the BAAQMD and CARB to permit all regulated emission sources. In 2003, SNL/CA had 25 permitted emission sources (see Table 3-5, Section 3.14). Criteria pollutant and toxic air contaminant emissions from site operations are presented in Section 4.3.1, Table 4-2 and Table 4-3, respectively. The 2003 San Francisco Bay Area Air Basin emission inventory is not yet available for comparison. However, a comparison of 2002 site data to district data shows that site emissions are a small percentage of the total emissions in the air basin. Site emissions for 2003 are also expected to be a small percentage of total emissions in the air basin.

3.3.2 Radionuclide Emissions

The *National Emissions Standards for Hazardous Air Pollutants, Subpart H – National Emission Standards for Emissions of Radionuclides Other Than Radon From Department of Energy Facilities* (40 CFR Part 61) establishes radiation protection standards, monitoring requirements, and annual reporting of radionuclide air emissions. Additional requirements pertaining to radionuclide emissions are contained in *DOE Order 450.1, Environmental Protection Program* (DOE 2003b), and *DOE Order 5400.5, Radiation Protection of the Public and the Environment* (DOE 1993).

SNL/CA does not currently have any radionuclide emission sources that are subject to the monitoring requirements of 40 CFR Part 61. To comply with national emission standards, SNL/CA evaluates individual projects with the potential to release radionuclide emissions to determine the worst-case dose to the public. Additionally, dose calculations are compared to

the requirements to determine the need for annual monitoring. During 2003, there were no projects with the potential to release radionuclides to the atmosphere and thus no project evaluations were completed.

3.4 Natural and Cultural Resources

3.4.1 *Endangered Species Act*

The Endangered Species Act (16 USC § 1531 et. seq.) provides for protection of plant and wildlife species in danger of becoming extinct. In 2002, SNL/CA and DOE/SSO prepared the *Biological Assessment for Continued Operation of Sandia National Laboratories, California* (DOE 2002a). The biological assessment was submitted to the U.S. Fish and Wildlife Service (USFWS) on July 19, 2002. The document assesses possible effects that increased operations at the site would have on the threatened California red-legged frog (*Rana aurora draytonii*), designated critical habitat for the red-legged frog², and the California tiger salamander (*Ambystoma californiense*), a candidate species at the time the biological assessment was written.³

SNL/CA and DOE/SSO met with the USFWS on July 17, 2003 to discuss the biological assessment and future operations at the site. As a result of this meeting, an addendum to the biological assessment was prepared and submitted to the USFWS in December 2003. A biological opinion from the USFWS is pending.

3.4.2 *Migratory Bird Treaty Act*

The Migratory Bird Treaty Act (16 USC §703 et. seq.) provides for protection of migratory birds, their nests, and eggs. Sixty-six species of migratory birds have been observed at SNL/CA since 1994⁴. In June 2003, new requirements relating to migratory birds were added to the Sandia ES&H Manual. These requirements include consulting with the SNL/CA ecology contact to determine the need for bird surveys and other measures to ensure the protection of migratory birds. In 2003, there was no intentional take of migratory birds or disturbance to nests or eggs at the site. Migratory birds often build nests within the developed campus in locations where they will be disturbed by maintenance activities. To avoid harming birds, nests, or eggs, SNL/CA delays activities until the young have fledged, or

² On November 6, 2002, the U.S. District Court issued a final ruling overturning the critical habitat designation for the California red-legged frog (U.S. District Court 2002). The ruling approves a settlement between the U.S. Fish and Wildlife Service and the Home Builders Association of Northern California that eliminates all but 200,000 acres of the original four million acres designated. Areas within Alameda County, including the Sandia site, are not currently identified as critical habitat.

³ On May 23, 2003, the Central California distinct population of the California tiger salamander was proposed for listing as threatened under the Endangered Species Act (USFWS 2003).

⁴ In 2003, a site-wide bird survey conducted at SNL/CA resulted in identifying additional bird species that had previously not been identified onsite. The number of migratory bird species observed since 1994 increased from 54 to 66.

surveys determine that the nest is abandoned. In 2003, one maintenance activity was delayed to protect migratory birds.

3.4.3 Floodplain Management

Executive Order 11988, Floodplain Management (EO 11988), requires federal agencies to consider impacts associated with the occupancy and modification of floodplains, to reduce the risk of flood loss, to minimize the impact of floods on human safety, health, and welfare, and to restore and preserve the natural and beneficial values served by floodplains. In 2002, SNL/CA completed a management plan for the Arroyo Seco to identify channel improvements and stream zone management activities that will reduce flood and erosion risk and provide improved habitat for wildlife species that may use the arroyo (Matthews 2002). The plan identifies areas for constructing functional floodplains and for planting of native riparian vegetation. Implementation of the management plan is scheduled to begin in 2004.

3.4.4 Protection of Wetlands

Executive Order 11990, Protection of Wetlands (EO 11990), requires federal agencies to minimize the destruction, loss, or degradation of wetlands and preserve and enhance the natural and beneficial values of wetlands. SNL/CA did not conduct any activities in wetlands, or affecting wetlands, during 2003.

3.4.5 National Historic Preservation Act

The National Historic Preservation Act (16 USC § 470) requires federal agencies to identify, record, and protect cultural resources. In 1990, an assessment of cultural resources at the SNL/CA site was completed. Although no prehistoric resources, Native American resources, or historic archaeological sites were identified during this assessment, there is a possibility that buried resources could be present onsite (DOE 2003a). SNL/CA includes provisions for cultural resources in all construction-related contracts where the potential for buried resources may be unearthed. In 2003, there were no buried archaeological resources unearthed at SNL/CA.

In 2001, SNL/CA completed an historic building survey. None of the buildings onsite were identified as historically significant or eligible for the National Register of Historic Places (SNL 2002c). The results of the historic building survey were submitted to DOE/SSO. DOE will consult with the State Historic Preservation Officer, as needed.

3.5 Environmental Restoration

3.5.1 Comprehensive Environmental Response, Compensation, and Liability Act

Between 1984 and 1986, DOE investigated the SNL/CA site under their Comprehensive Environmental Assessment and Response Program (CEARP) to identify and assess potential

environmental problems (DOE 1986). The CEARP investigation evaluated compliance with major federal environmental laws, including the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) (42 USC § 9601). CERCLA established liability compensation, cleanup, and emergency response for hazardous substances released to the environment. During the CEARP investigation, two potential CERCLA sites were identified at SNL/CA, the Fuel Oil Spill Site and the Navy Landfill. A Hazard Ranking System study was performed for each site to determine if either qualified for listing on the National Priorities List. Hazard Ranking System scores for both sites fell below 28.5, the qualifying score for listing. Since completion of the CEARP investigation, there have been no hazardous substance releases or contaminated sites found at SNL/CA that warranted CERCLA investigation or a Hazard Ranking System study.

In addition to cleanup and emergency response requirements, CERCLA also established a program to report spills of hazardous substances to the National Response Center. SNL/CA incorporates CERCLA reporting requirements into an operating procedure for spill prevention and control (SNL/CA 2002c). In 2003, there were no releases of hazardous substances that required notification under CERCLA.

3.5.2 Site Cleanup Orders

Since 1985, environmental restoration and monitoring activities at SNL/CA have been conducted in compliance with site clean-up orders issued by the California Regional Water Quality Control Board, San Francisco Bay Region under provisions established in the California Water Code (California RWQCB 1989). Although there are no active remediation sites at SNL/CA, groundwater monitoring is ongoing at three locations, the Fuel Oil Spill site, the Navy Landfill, and the former Trudell Auto Repair Shop. SNL/CA currently samples four groundwater monitoring wells for residual contamination: two at the Fuel Oil Spill site; and one each at the Navy Landfill and Trudell site. Sampling results are presented in Chapter 5, Environmental Monitoring.

3.6 Hazardous Materials

3.6.1 Emergency Planning and Community Right-to-Know Act

The Emergency Planning and Community Right-to-Know Act (EPCRA)—also known as the Superfund Amendments and Reauthorization Act of 1986, Title III (42 USC §11001, et. seq.)—requires reporting of toxic chemical usage and releases. To meet EPCRA requirements, SNL/CA submits annual reports to the EPA, the State of California, and the LLNL Fire Department, which serves as the local fire department. EPCRA reporting requirements applicable to SNL/CA for 2003 are presented in Table 3-1.

3.6.2 California Hazardous Materials Release Response Plans and Inventory Law

The California Hazardous Materials Release Response Plans and Inventory Law (Assembly Bill 2185) addresses the management of hazardous and acutely hazardous materials in the state. Additional requirements pertaining to hazardous materials are codified in the California Health and Safety Code, Division 20, Chapter 6.95 §25500, et seq. In compliance with California requirements, SNL/CA annually submits a hazardous material business plan to the Alameda County Office of Environmental Health.

Table 3-1 Status of EPCRA Reporting at SNL/CA, 2003

EPCRA Section	Description of Reporting	Required in 2003
Sec. 302-303	Planning Notification	Yes (sulfuric acid only)
Sec. 304	Extremely Hazardous Substances Release Notification	No
Sec. 311-312	Material Safety Data Sheet/ Chemical Inventory	Yes
Sec. 313	Toxic Release Inventory Reporting	Yes

3.6.3 Underground Storage Tanks

Hazardous or petroleum products stored in underground storage tanks (UST) are regulated under California Health and Safety Code Division 20, Chapter 6.67, §§ 25280-25299.7. California code incorporates the UST provisions of the Resource Conservation and Recovery Act (RCRA) and establishes standards for construction, operation, maintenance, inspection, and testing of USTs. Alameda County Environmental Health Department is the regulating authority for USTs at SNL/CA. SNL/CA operates one UST in accordance with California requirements. Each year, SNL/CA declares and permits the tank with the Alameda County Office of Environmental Health.

3.6.4 Toxic Substances Control Act

The Toxic Substances Control Act (TSCA) is the primary Federal statute regulating the manufacture, use, distribution, disposal, import, or export of certain chemicals and substances (15 USC § 2601 et. seq.). TSCA requirements that are applicable to Sandia operations are incorporated into the Sandia ES&H Manual (SNL 1997). SNL/CA follows the procedures outlined in the ES&H Manual for import and export of chemical substances. In 2003, no TSCA regulated chemicals were imported to SNL/CA or exported from the site.

SNL/CA also tracks disposal of TSCA materials that are not otherwise captured as RCRA or California toxic hazardous waste. These materials include asbestos and polychlorinated biphenyls (PCBs). The majority of TSCA waste generated onsite is asbestos from abatement activities. Only small quantities of PCB wastes are generated at SNL/CA, consisting of light ballasts that are not specifically marked as PCB-free.

3.6.5 Federal Insecticide, Fungicide, and Rodenticide Act

The Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) restricts the registration, sale, use, and disposal of pesticides (includes herbicides, insecticides, fungicides, and rodenticides) (7 USC § 136). Activities at SNL/CA that fall under the provisions of FIFRA include the storage and use of pesticides, and disposal of pesticide containers. Pesticide handling and storage follows a site-specific standard operating procedure that includes provisions for training, use of personal protective equipment, proper handling following manufacturers guidelines, secondary containment during storage, and disposal of product and containers (SNL/CA 2001). Pesticide use at SNL/CA is overseen by a certified pesticide applicator.

3.7 Pollution Prevention and Waste Minimization

3.7.1 Executive Order 13101

Executive Order 13101, Greening the Government Through Waste Prevention, Recycling, and Federal Acquisition (EO 13101) directs executive agencies to implement affirmative procurement programs that favor acquisition and use of recycled products and environmentally preferable products and services. EO 13101 also establishes an annual reporting requirement for federal agencies.

At SNL/CA, affirmative procurement is a coordinated effort between the Pollution Prevention and Waste Minimization (PP/WM) Program and the Procurement Department. PP/WM staff communicate the requirements of EO 13101 through presentations and training targeting individuals involved in purchasing products and services. Both groups work closely with suppliers to ensure that environmentally preferable products are available for purchase.

In 1996, DOE established a goal for purchases of EPA designated recycled products of 100% by 2005, except where products are not commercially available competitively at a reasonable price, or do not meet performance standards. Of the products available for purchase by SNL/CA in 2003, 60.25% qualified as designated recycled products. Affirmative procurement information for SNL/CA was electronically submitted to DOE on December 17, 2003 for use in the annual DOE environmentally preferable products report (DOE 2004).

3.7.2 Hazardous Waste Source Reduction and Management Review Act

The California Hazardous Waste Source Reduction and Management Review Act of 1989, (Senate Bill 14), requires hazardous waste generators to consider source reduction as the preferred method of managing hazardous waste. Under this act, facilities that generate more than 12,000 kilograms (kg) of hazardous waste or 12 kg of extremely hazardous waste annually are required to conduct source reduction planning.

Under this Act, all of DOE's California sites are considered one waste generator, rather than individual DOE facilities. Every four years, SNL/CA participates in completing a Source Reduction and Evaluation Review and Plan with the three other DOE sites in California: Lawrence Livermore National Laboratory (LLNL); Lawrence Berkeley National Laboratory; and Stanford Linear Accelerator Center. The most recent plan was completed in August 2003 and provides information for 1999 through 2002. The plan also identifies waste reduction opportunities for any waste stream that is over 5% of a site's total routine regulated waste.

3.7.3 *Pollution Prevention Act*

The Pollution Prevention Act of 1990 declares, as national policy, that pollution should be prevented or reduced at the source (42 USC § 13101 et. seq.). Facilities that meet the reporting requirements under EPCRA, Section 313 are also required to file a toxic chemical source reduction and recycling report. The Section 313 report for 2003 will include source reduction and recycling information to meet this requirement. See Section 3.6.1 for additional information on EPCRA.

3.8 Hazardous Waste

3.8.1 *Federal Facility Compliance Act*

The Federal Facility Compliance Act waives sovereign immunity with respect to RCRA for federal facilities (42 USC § 6961). The act gives EPA and authorized states authority to conduct annual inspections of federal facilities and establishes requirements for management of mixed waste.

SNL/CA is not subject to a site-specific federal facility compliance agreement for mixed waste. The site does not possess or store any legacy mixed waste. All mixed waste generated at SNL/CA during 2003 was appropriately managed under the site's RCRA Hazardous Waste Facility Permit.

3.8.2 *Resource Conservation and Recovery Act*

RCRA regulates the generation, transportation, treatment, storage, and disposal of hazardous chemical waste, non-hazardous solid waste, and hazardous or petroleum products stored in USTs (42 USC §6901 et. seq.). The State of California has authority from the EPA to implement RCRA. The California Department of Toxic Substance Control (DTSC) administers most aspects of RCRA in the state, and is the regulating authority for hazardous waste operations at SNL/CA, including the hazardous component of radioactive mixed waste.

SNL/CA operates a Hazardous Waste Storage Facility under a RCRA Hazardous Waste Facility Permit that was issued by DTSC in 1992. The permit became effective on January 4, 1993, and allows for storage and treatment of hazardous waste. An application for the

renewal of SNL/CA's RCRA Hazardous Waste Facility Permit was submitted to DTSC in December 2001. DTSC issued the permit renewal on March 30, 2004.

By definition, SNL/CA is a large quantity generator of RCRA waste. As such, the site is required under RCRA standards and implementing regulations (40 CFR 262.41) to submit a biennial report to EPA. The last biennial report was submitted in March 2002 and provides information about the quantity of RCRA hazardous waste generated, stored, and shipped during the 2001 reporting period. The report for calendar year 2003 will be submitted in 2004.

3.8.3 California Hazardous Waste Control Law

The Hazardous Waste Control Law (California Health and Safety Code §25100 et. seq.) provides a separate regulatory framework for hazardous waste management in California. The state law incorporates all RCRA requirements and imposes additional requirements that are stricter than RCRA standards. Under the California law, additional waste materials are regulated as hazardous that are not considered hazardous under RCRA. State standards are incorporated into SNL/CA's Waste Operations Program so that California regulated waste is managed as hazardous waste in compliance with state requirements.

The California Environmental Health Standard for Management of Hazardous Waste (22 CCR, Division 4.5) requires all permitted hazardous waste facilities to submit an annual facility report to DTSC. Annual facility reports provide information about the quantity of RCRA and California designated hazardous waste generated and stored at SNL/CA, and the quantity of waste shipped from the site. In June 2003, the Annual Facility Report for the SNL/CA Hazardous Waste Storage Facility was submitted to DTSC.

3.8.4 Medical Waste Management Act

The California Medical Waste Management Act (California Health and Safety Code, Division 104, Part 14, §§ 117600-118360) provides for regulation of medical waste generators, transporters, and treatment facilities. The California Department of Health Services is the regulating authority for medical waste in the state. As a generator of medical waste, SNL/CA is subject to the requirements of the Medical Waste Management Act. To meet these requirements, SNL/CA is registered with the Department of Health Services as a small quantity generator of medical waste with no onsite treatment.

3.9 Radiation Protection

3.9.1 Atomic Energy Act

The purpose of the Atomic Energy Act is to assure the proper management of nuclear materials and radioactive waste (42 USC § 2011 et. seq.). The act allows DOE to set radiation protection standards to control exposure to the public and the environment that may result from operations at DOE facilities. DOE sets these standards through department

directives or orders. Operations at SNL/CA are subject to the requirements established in *DOE Order 435.1, Radioactive Waste Management* (DOE 2001b) and *DOE Order 5400.5, Radiation Protection of the Public and the Environment* (DOE 1993).

3.9.2 *DOE Order 435.1, Radioactive Waste Management*

DOE Order 435.1 establishes requirements to manage radioactive waste in a manner that protects the environment, and worker and public health and safety. Under this order, DOE contractor operated facilities are required to plan, document, execute, and evaluate the management of radioactive waste. Requirements of Order 435.1 are incorporated into the SNL/CA radioactive waste management element of the Waste Operations Program. The program includes certification and characterization of waste; provisions for inspections and audits; training requirements; and operating procedures for handling, storing, packaging, shipping, and offsite disposal of radioactive waste.

SNL/CA generates low-level radioactive waste and low-level mixed waste. No transuranic or high-level radioactive waste is generated by SNL/CA operations. Radioactive wastes are stored onsite in the Radioactive Waste Storage Facility. Low-level waste is shipped offsite for land disposal at the Nevada Test Site. Low-level mixed waste is managed under RCRA and shipped offsite for disposal at commercial disposal sites in compliance with site-specific waste acceptance criteria.

3.9.3 *DOE Order 5400.5, Radiation Protection of the Public and the Environment*

DOE Order 5400.5 sets radiation protection standards for DOE operations so that radiation exposures to members of the public and the environment are as low as reasonably achievable (ALARA) or maintained within established limits of the order. Table 3-2 provides a summary of SNL/CA compliance with this order in 2003.

3.10 Water Quality and Protection

SNL/CA is subject to the requirements of the Clean Water Act and equivalent California statutes. SNL/CA is not currently subject to the requirements of the Safe Drinking Water Act, as the site does not operate a public water system. The site also is not involved in any environmental restoration activities for which Safe Drinking Water Act standards are being applied as clean-up goals.

Drinking water at SNL/CA is purchased through LLNL and obtained from the San Francisco Water District or the Alameda County Flood Control and Water Conservation District, Zone 7. The San Francisco Water District and Zone 7 are responsible for monitoring the quality of the incoming water. SNL/CA does not treat or sample the drinking water. LLNL maintains the drinking water distribution system for both sites and screens for water quality. (SNL/CA 2002b).

Table 3-2 Order 5400.5 Compliance Summary, 2003

Order 5400.5 Requirement	SNL/CA 2003 Summary
Maximum exposure to members of public = 100 mrem/yr	There were no radionuclide emissions in 2003. Additionally, the average annual direct radiation measurements for 2003 showed a difference of only 0.4 mrem between perimeter and distant locations.
Adopt ALARA exposures	ALARA is incorporated into ES&H policy, ES&H manual, and site operating procedures.
Control release of liquid radioactive wastes to the environment	No intentional discharges of liquid wastes to the environment occur onsite. No accidental releases of liquid radioactive waste occurred in 2003.
Control burial of low-level waste	Disposal of low-level waste <u>does not</u> occur onsite. ES&H procedures, manuals, and management systems are incorporated into site operations to ensure proper handling, and disposal of radioactive materials offsite at approved facilities.
Control radioactive releases to the sanitary sewer	Radioactive releases to the sanitary sewer are not allowed at SNL/CA. ES&H procedures, manuals, and management systems are incorporated into site operations to ensure proper handling and disposal of radioactive materials.
Implement environmental monitoring and surveillance	An environmental monitoring and surveillance program has been in place at SNL/CA for more than 30 years.
Control the release of property with residual radioactivity	SNL/CA <u>does not</u> release any property to the public with residual radioactivity above authorized limits. Excess property of this type is either transferred to other DOE facilities for reuse or transferred to Waste Operations for disposal.
Dose evaluations	There were no radionuclide emission sources in 2003; therefore, there is no monitoring data available for dose evaluations. The average annual gamma radiation measurement at the site perimeter in 2003 was 54.3 mrem, or 0.4 mrem more than distant locations, where the average annual dose was 53.9 mrem.

3.10.1 Clean Water Act

The Clean Water Act regulates all direct discharges into navigable waters of the United States (U.S.) (33 USC § 1251). Direct discharges to waters of the U.S. require permits issued under the National Pollutant Discharge Elimination System (NPDES). In California, the State Water Resources Control Board has authority from EPA to implement the Clean Water Act. Federal permitting requirements are included in Waste Discharge Requirements issued by Regional Water Quality Control Boards.

Wastewater Discharge

Wastewater generated at SNL/CA is discharged to the City of Livermore Water Reclamation Plant, a publicly owned treatment works (POTW). The Livermore POTW maintains an NPDES permit, and then regulates industry discharges into their sewer system. A Wastewater Discharge Permit issued by the Livermore POTW regulates SNL/CA's wastewater discharges. The permit is updated annually and includes discharge limits for the site sanitary sewer outfall and for processes subject to EPA pretreatment standards. Permit exceedances that occurred in 2003 at the site sanitary sewer outfall are presented in Table 3-3. See Section 3.13 for additional information regarding the March 1, 2003 copper exceedance.

Table 3-3 Wastewater Discharge Permit Exceedances at Sanitary Sewer Outfall, 2003

Parameter	No. of Samples Taken	No. of Compliant Samples	Percent Compliance	Date(s) of Exceedance	Description	Status / Resolution
Copper	52	51	98%	3/01/03	Copper concentration was 4.4 mg/L. Discharge limit is 1.0 mg/L.	Probable source found to be onsite cooling towers. Cyclonic separators purchased to test efficacy for removing copper. Testing to be conducted in 2004.

SNL/CA has three categorical processes that are subject to EPA's pretreatment standards: two metal finishing operations, and a semiconductor manufacturing operation.⁵ One of the metal finishing operations is a closed-loop process and does not discharge any effluents. Wastewater generated from the two processes that have effluents is sampled and monitored as part of the Environmental Monitoring and Restoration Program. No exceedances of the discharge limits from these sources occurred during 2003.

Storm Water Discharge

General storm water discharges at SNL/CA are covered under the *State of California NPDES General Permit for Storm Water Discharge Associated with Industrial Activities* (General Permit) (California Water Resources Control Board 1997). The General Permit requires SNL/CA to implement a storm water pollution prevention plan. The SNL/CA plan describes the rationale for monitoring discharge locations and identifies best management practices for reducing pollutant contact with storm water.

Storm water discharges from construction areas at SNL/CA are covered under the *State of California NPDES General Permit for Storm Water Discharges Associated with Construction Activity* (General Construction Permit) (California Water Resources Control Board 1999). During 2002, SNL/CA exceeded the five-acre threshold for construction

⁵ The semiconductor manufacturing operation is a research and development activity exempt from local air pollution regulations.

activities, requiring the site to apply for coverage under the General Construction Permit. Coverage was granted on June 4, 2002 and extends through December 2006. In compliance with the General Construction Permit, SNL/CA implemented a construction storm water pollution prevention plan.

In 2003, twenty-two storm water discharge locations were visually monitored and nine locations were sampled. The result of monitoring and sampling activities conducted in 2003 did not identify any issues of concern. A summary of results for 2003 is presented in Section 5.1.

3.11 Executive Order 13148

Executive Order 13148, Greening of the Government Through Leadership in Environmental Management (EO 13148), directs federal agencies to integrate environmental accountability into day-to-day decision making and long-term planning processes. Table 3-4 presents the activities conducted at SNL/CA in support of this executive order.

3.12 Audits and Assessments

In 2003, six environmental program audits/assessments were conducted at SNL/CA. Three audits/assessments were conducted by external agencies, two in the Environmental Monitoring and Restoration Program and one in the Air Quality Program. The three internal audits/assessments included a self-audit in the Waste Operations Program, a DOE assessment of the Waste Operations Program, and a DOE assessment of the wastewater component of the Environmental Monitoring and Restoration Program.

3.12.1 Alameda County Assessment

On March 28, 2003, Alameda County conducted an annual inspection at the Navy Landfill for erosion. No findings were issued.

3.12.2 Bay Area Air Quality Management District Audit

On April 15, 2003, the BAAQMD inspected five emergency generators and a perchloroethylene cold cleaner. All five emergency generators were found in compliance with permit requirements. One deficiency was noted on the cold cleaner. The deficiency was corrected. The cleaner was reinspected on April 22, 2003 and determined to be in compliance.

3.12.3 City of Livermore Wastewater Audit

The City of Livermore, Water Resources Division, inspected two discharging categorical process laboratories and the sewer outfall from September 22 through 24, 2003. Wastewater samples were collected for analyses. No areas of non-compliance were noted during the audit.

Table 3-4 SNL/CA Activities in Support of Executive Order 13148

E.O. 13148 Goal	SNL/CA Activity
Develop and implement environmental management system	Incorporated into the corporate Integrated Safety Management System.
Establish and implement environmental compliance audit programs and policies that emphasize pollution prevention	SNL/CA's ES&H Interdisciplinary Team process ensures that each new and modified project is evaluated for pollution prevention and waste minimization opportunities. Additionally, SNL/CA maintains a Pollution Prevention and Waste Minimization Program that periodically conducts pollution prevention opportunity assessments, and assists site customers in implementing new processes to reduce pollution and waste.
EPCRA Reporting	Conducted annually.
Reduce reported Toxic Release Inventory (TRI) releases and off-site transfers of toxic chemicals for treatment and disposal	SNL/CA meets the TRI reporting threshold for lead only. Lead releases are generated from activities at the firing range. To reduce TRI releases, a change in ammunition type would be required. Because DOE dictates the ammunition type used at SNL/CA, any changes would need to come from DOE.
Reduce use of toxic chemicals, hazardous substances, and pollutants, or generation of hazardous and radioactive waste types	SNL/CA maintains a Pollution Prevention and Waste Minimization Program to identify waste minimization opportunities and to assist site customers in implementing new processes to reduce pollution and waste.
Reduce use of ozone-depleting substances (ODS)	SNL/CA complies with the regulations contained in 40 CFR 82 that are designed to end production of ODS, support recycling of ODS during servicing and disposal, and identify alternatives for ODS.
Promote sustainable management of federal lands through cost-effective, environmentally sound landscaping practices, and programs to reduce adverse impacts to the natural environment	Site landscaping practices follow the SNL/CA Visual Quality Guidelines and Landscape Master Plan that incorporates the use of drought tolerant and native plant species into landscape design.

3.12.4 Internal Waste Operations Program Audit

In June 2003, SNL/CA conducted an annual internal audit of low-level radioactive waste management activities, in compliance with the requirements of DOE's Nuclear Safety Management regulations (10 CFR 830). No findings were identified during the audit.

3.12.5 DOE Waste Operations Program Assessment

From August 18 through 22, 2003, DOE evaluated the Waste Operations Program at SNL/CA. Two observations and two noteworthy practices were identified. No findings were issued. Corrective action for one of the two observations was identified and implemented immediately. Corrective action for the second observation was not required.

3.12.6 DOE Wastewater Assessment

From August 18 through November 26, 2003, DOE/SSO conducted an assessment of the wastewater component of the Environmental Monitoring and Restoration Program. One finding, three observations, and five noteworthy practices were identified during the assessment. A Corrective Action Plan for the finding was submitted to DOE/SSO on December 16, 2003.

3.13 Environmental Occurrences

SNL/CA had two environmental occurrences in 2003. The first occurred on March 1, 2003, when the site discharge limit for copper was exceeded in the sanitary sewer (see Table 3-3). Wastewater samples collected at the sewer outfall on March 1, 2003 showed a copper concentration of 4.4 mg/L. The discharge limit for copper is 1.0 mg/L. A Copper Investigation Team was formed to determine the source of the copper. Because the copper in the sewer system is in particulate form, the most likely source was found to be wind-borne dust and dirt entrained in onsite cooling towers. SNL/CA is evaluating and testing equipment that will clean onsite cooling towers on a routine basis. In the interim, cooling tower water is filtered for particulates prior to disposal to the sanitary sewer.

The second environmental occurrence in 2003 involved a bite from a gray fox. On May 28, 2003, an employee was bitten by a fox when raising a roll-up door to an outside storage unit. The fox darted out of the storage unit, biting the individual as it passed. The California Department of Health Services was notified of the animal bite, as required by state law. The fox was captured and tested for rabies. In response to this occurrence, SNL/CA modified the site requirement on interactions with wildlife and implemented a site-wide campaign to educate the site population on wildlife issues.

3.14 Permits

Environmental permits and clean-up orders held by SNL/CA are listed in Table 3-5. Additional information is provided in previous sections under the relative program or regulation.

Table 3-5 SNL/CA Environmental Permits and Orders, 2003

Type	Description	Effective Date	Statute / Regulation	Issuing Agency
Air	Permit to Operate 25 emission sources: 10 Boilers 1 Degreaser 1 Paint spray booth 1 Service station 1 Chromium electroplating operation 5 Miscellaneous (decontamination sink, waste compactor, drum crusher, two sitewide sources for solvent emissions) 6 Emergency generators	July 1, 2003 through June 30, 2004	Clean Air Act	Bay Area Air Quality Management District
Environmental restoration	Site Clean-up Order No. 89-184	December 1989 (no expiration date)	California Water Code	Regional Water Quality Control Board, San Francisco Bay
Hazardous waste	RCRA Hazardous Waste Facility Permit	March 2004 through March 2014	Resource Conservation and Recovery Act	California Department of Toxic Substances Control
Wastewater	Wastewater Discharge Permit	August 2003 through July 2004	Clean Water Act	City of Livermore Water Reclamation Plant
Storm water	State of California General Permit	July 1997 through July 2002 ^a	Clean Water Act	State of California Water Resources Control Board
Storm water	State of California General Construction Permit	June 2002 through December 2006	Clean Water Act	State of California Water Resources Control Board
Storm water	Water Discharge Requirements for Storm Water Discharges from Small Municipal Separate Storm Sewer Systems Permit	2003 (no expiration date)	Clean Water Act	State of California Water Resources Control Board
Underground storage tank	Permit to Operate	March 1, 2003 through February 29, 2004	Resource Conservation and Recovery Act and California Health and Safety Code	Alameda County Environmental Health Department

^a Permit renewal by the State of California is currently underway. When the renewal process is complete and a new General Permit is issued by the State, SNL/CA will apply for coverage under the new permit.

4 Environmental Program Information

Environmental compliance at Sandia National Laboratories, California (SNL/CA) is achieved through implementation of various environment, safety, and health (ES&H) policies and principles. This chapter describes the environmental management structure at SNL/CA and presents environmental performance measurements for 2003. SNL/CA environmental programs are also identified and 2003 highlights for each program are provided.

4.1 Environmental Management

The corporate integrated safety management system (ISMS) and ES&H policy provide the framework for environmental management at SNL/CA. The Sandia environmental management system is one element under ISMS. The ES&H Policy mandates compliance with applicable laws, regulations, Department of Energy (DOE) directives, and internal corporate policy requirements. Environmental management is further supported by an ES&H manual that provides guidance to the Sandia workforce in meeting compliance requirements.



ISMS is comprised of five management functions: work planning; analysis of the hazards; development and implementation of hazard controls; performance of work within established controls; and provision of feedback for continuous improvement.

The ES&H Policy of Sandia Corporation is to support the corporate vision and protect and preserve the environment, and safety and health of its employees, contractors, visitors, and the public. The policy identifies the strategy for managing and implementing the ES&H program and identifies roles and responsibilities for all Sandia employees. Additionally, the ES&H policy incorporates the five core functions of ISMS.

The ES&H manual is a comprehensive document that guides the Sandia workforce through compliance with applicable environmental requirements. The manual describes the basics of the ES&H Program. It identifies the boundaries of the program, describes how requirements flow down to Sandia organizations, and defines ES&H roles and responsibilities.

In 2003, the Sandia Corporate ES&H culture was evaluated by an independent review team. The review team evaluated Sandia's historical ES&H performance and benchmarked Sandia with industry and other DOE sites. As a result of this review, Sandia's executive

management outlined a new initiative to improve ES&H performance through implementation of ES&H Performance Excellence Objectives.

Many groups and programs support environmental management at SNL/CA. The site maintains an Environmental Operations Department that supports all aspects of environmental compliance through implementation of the Environmental Operations Department Compliance Plan

(SNL/CA 2002c). The SNL/CA ES&H Interdisciplinary Team supports the five management functions of ISMS. ES&H councils and committees provide leadership for improvement of ES&H-related matters. A formal self-assessment program evaluates environmental performance and establishes corrective actions. Environmental management is also enhanced through routine audits from DOE and external regulating agencies.

ES&H Performance Excellence Objectives

- Zero job-related injuries and illnesses
- Zero environmental incidents
- Zero ES&H-related fines, violations, or penalties

4.2 Environmental Performance

Environmental performance at SNL/CA is evaluated as part of the Department of Energy, National Nuclear Security Administration and Sandia National Laboratories (SNL) Performance Evaluation Plan. The evaluation plan is a jointly negotiated document that defines specific performance objectives, performance measures, and performance criteria. Each performance measure is assigned a numerical score that corresponds to one of 5 ratings:

- Outstanding
- Excellent
- Good
- Marginal
- Unsatisfactory

The fiscal year 2003 Performance Evaluation Plan measures three performance groups, general laboratory management, mission-critical programs, and mission-critical support. Environmental performance is included in the mission-critical support performance group. The overall rating for this performance group for fiscal year 2003 is good.

4.3 Environmental Programs

SNL/CA maintains an Environmental Operations Department that is comprised of five functional program areas. Program areas and primary elements of each are as follows:

- Air Quality – non-radiological emission source evaluation and permitting
- Environmental Monitoring and Restoration – wastewater, storm water, and groundwater monitoring for radiological and non-radiological constituents; ambient surveillance for external radiation exposures; environmental restoration and remediation; and radionuclide air emission compliance

- Environmental Planning – National Environmental Policy Act (NEPA) reviews; ecological resource management; cultural and historic resource reviews; and general environmental reporting
- Pollution Prevention and Waste Minimization – pollution prevention opportunity assessments (PPOA); recycling programs; supports site-wide waste reduction; and supports affirmative procurement program
- Waste Operations – hazardous, radioactive, and mixed waste management; Resource Conservation and Recovery Act (RCRA) permitting; and operation of onsite waste storage facilities

4.3.1 Environmental Program Highlights

Air Quality Program

In 2003, SNL/CA permitted 25 emission sources with the Bay Area Air Quality Management District (BAAQMD). Although this is an increase of one from 2002, the number of permitted sources has decreased since 1996 when SNL/CA operated 29 permitted sources. Additionally, the number of sources listed as exempt on the SNL/CA BAAQMD Permit to Operate decreased from 34 in 1996 to twelve in 2003. Emission rates from the 2003 permitted sources are presented in Tables 4-1 and 4-2.

Table 4-1 Criteria Pollutant Emission Rates at SNL/CA

Pollutant	2003 Emissions (kg/yr)^a
Particulates	351
Volatile organic compounds ^b	3559.6
Nitrogen oxides	3327.8
Sulfur dioxide	19.9
Carbon monoxide	569.5

^a Annual emissions were calculated by multiplying the daily emissions reported in the BAAQMD Permit to Operate (expires July 1, 2004) by 365. Emissions represent estimates based on 2002 data.

^b Assumes all organics reported on the BAAQMD Permit to Operate are volatile organic compounds.

New BAAQMD regulations limiting the type of cleaning solvents that can be used went into effect in June 2003. These regulations are designed to reduce the volatile organic compound emissions throughout the San Francisco Bay Area. SNL/CA's Air Quality Program has been assisting facility personnel with finding alternative cleaning solvents for onsite use that comply with the new regulations and meet performance requirements.

Table 4-2 Toxic Emission Rates at SNL/CA

Pollutant	2003 Emissions (kg/yr)^a
Ethylene dichloride	1.7
Formaldehyde	3.3
Methyl ethyl ketone	6.6
Methyl alcohol	778.2
Perchloroethylene	82.8
Toluene	19.9
Trichloroethylene	5.0
Xylene	9.9
Chloroform	23.2
Methylene chloride	127.5
1,3-butadiene	3.3
1,1,1-Trichloroethane	9.9
Hydrochloric acid mist	8.3

^a Annual emissions were calculated by multiplying the daily emissions reported in the BAAQMD Permit to Operate (expires July 1, 2004) by 365. Emissions represent estimates based on 2002 data.

Environmental Monitoring and Restoration Program

Highlights of the Environmental Monitoring and Restoration Program for 2003 include a copper investigation and implementation of new state regulations. Routine compliance and monitoring activities conducted by the Environmental Monitoring and Restoration Program are presented in Chapter 3 and 5, respectively.

As a result of the copper exceedance in the sanitary sewer on March 1, 2003, the investigation to determine the potential sources of copper continued throughout 2003 (see sections 3.10 and 3.13). During the year, another source of copper was identified as wind-borne dust and dirt that becomes entrained in site cooling towers. When cooling tower water automatically dumps, copper enters the sanitary sewer. New equipment to periodically clean and filter cooling tower water will be tested in 2004.

In 2003, new state regulations were issued for municipal small separate storm sewers. In response to these new regulations, SNL/CA developed a Stormwater Pollution Prevention Plan to address the three types of stormwater regulation applicable to the site (i.e., industrial, construction, and municipal). Additionally, SNL/CA developed an implementation plan describing the phase-in approach for these requirements.

Environmental Planning Program

In 2003, the Environmental Planning Program initiated a site-wide education campaign on wildlife-related issues, conducted wildlife surveys, and reviewed new and continuing projects for NEPA compliance. Also, as part of NEPA compliance activities in 2003, a comparison between the maximum operations presented in the Site-Wide Environmental Assessment (SWEA) with actual data from 2003 was made.

A site-wide education campaign on wildlife issues was initiated at SNL/CA in June 2003 as a result of the fox bite that occurred in May (see Section 3.13, Environmental Occurrences for additional information). The campaign focuses on the dos and don'ts of interacting with wildlife that live on or frequent the site. Flyers distributed to all site personnel stressed the importance of enjoying wildlife from a distance, not feeding wildlife, putting food trash in appropriate cans and bins, and closing unattended storage spaces that provide shelter to wildlife. Posters were placed at various access points and building lobbies to communicate the same message to site visitors. Updates on wildlife concerns and issues are now communicated routinely to the site population through various internal communication systems.

In 2003, SNL/CA conducted site-wide wildlife surveys to identify species diversity, and protocol surveys for California red-legged frogs and California tiger salamanders. Surveys were conducted between March and July. No threatened or endangered birds, mammals, reptiles, or amphibians were found at SNL/CA during 2003.

In fiscal year 2003, program staff reviewed 122 actions in accordance with the SNL/CA NEPA Administrative Procedure (SNL/CA 2002a). Of these, 118 actions were covered under existing NEPA documentation and 4 were referred to DOE for NEPA determinations. Three of the four actions referred to DOE were categorically excluded from the need to prepare an environmental assessment or environmental impact statement. The one remaining action was canceled due to lack of funding.

For calendar year 2003, actual site operations were compared to the maximum operations scenario presented in the SWEA and an evaluation was made to determine whether SNL/CA operations remain within the impact analysis presented. Table 4-3 presents a summary of the comparison and evaluation results.

Pollution Prevention and Waste Minimization Program

The Pollution Prevention and Waste Minimization Program completed three PPOAs in 2003. The Maintenance Engineering Department, the Facilities Maintenance paint shop, and liquid effluent control systems were reviewed for waste reduction opportunities. Six opportunities for waste reduction were identified for the Maintenance Engineering Department and five were identified for the paint shop. Evaluation of these waste reduction opportunities is underway. As part of the liquid effluent control system PPOA, options for filtering wastewater that does not meet the sewer discharge requirements were evaluated. The evaluation found that filtering was not cost effective and thus no changes to the current process of disposal were made.

Table 4-3 Comparison of 2003 Operations with SWEA Envelope

Activity / Unit	SWEA Envelope (maximum operations)	Calendar Year 2003	Site Operations Remain Within Impact Analysis
Proposed Action			
Site mission	Supports DOE, NNSA, DHS	No change	Yes
Arroyo Seco improvements	20 tasks	None completed in 2003	Yes
Increase operations	Increase to 2 shifts	1 shift	Yes
New facilities	5,000 sf badge office; new 16,000 sf laboratory; 84,000 sf laboratory replacement for Building 916	None completed in 2003	Yes
Demolition	100,000 sf over ten year period	None completed in 2003	Yes
Land Use			
Construction area	93 acres	8 acres	Yes
Wildlife reserve	30 acres	106 acres	Yes – results in a positive effect
Geology / Soil			
Solid waste management units	23 units	22 units	Yes – results in a positive effect
Soil removed	5000 cu yd/yr	None	Yes
Soil managed onsite	5000 cu yd/yr	<1000 cu yd (estimate)	Yes
Backfill material brought onsite	6000 cu yd/yr	<1000 cu yd (estimate)	Yes
Infrastructure			
Water use	91.8 million gal/yr	52.6 million gals	Yes
Sanitary sewer discharge	29.1 million gal/yr	9.8 million gals	Yes
Natural gas use	94 million cu ft/yr	69 million cu ft	Yes
Electricity use	48,800 MW h/yr	37,136 MW hrs	Yes
Biological and Ecological Resources			
Construct flood plains in Arroyo Seco	1800 linear feet	None	Yes
Create riparian habitat	0.2 acres	None	Yes
Ground disturbance in / along arroyo	10 acres	None	Yes
Cultural Resources	None known onsite	No change	Yes
Water Resources			
Impervious surface area	76.9 acres	54 acres	Yes
Irrigation water use	17 million gal/yr	16.6 million gals	Yes
Waste Generation			
Radioactive waste	8,811 kg/yr	13,753 kg	Yes – Although, waste generated was higher than projected, SNL/CA did not exceed the capacity of the site to manage the waste; an additional impact did not occur.
Hazardous waste	133,820 kg/yr	56,505 kg	Yes
Construction debris	200 tons/yr	<6 metric tons	Yes
Solid waste (non-hazardous)	378.7 metric tons/yr	100.3 metric tons	Yes

Table 4-3 Comparison of 2003 Operations with SWEA Envelope (continued)

Activity / Unit	SWEA Envelope (maximum operations)	Calendar Year 2003	Site Operations Remain Within Impact Analysis
Air Emissions			
Total criteria pollutants	8,212 kg/yr	7,827.8 kg ^a	Yes – Emissions of volatile organic compounds were higher than projected in 2003. However, total criteria pollutants did not exceed SWEA projections; an additional impact did not occur.
Total air toxics	2,880.16 kg/yr	1,079.6 kg ^a	Yes
Radioactive	0 emissions	0 emissions	Yes
Permits	57 permits	25 permits	Yes
Human Health			
OSHA Recordable accidents / injuries	78 accidents / injuries	29 accident / injuries	Yes
Lost work-day cases	19 days	3 days	Yes
Socioeconomics			
Employment	Up to 1931 persons	1067 persons	Yes
Operating budget	\$262 million/yr	\$174.3 million	Yes

^a Annual emissions were calculated by multiplying the daily emissions reported in the BAAQMD Permit to Operate by 365. Emissions represent estimates based on 2002 data.

The Pollution Prevention and Waste Minimization Program successfully promoted equipment and resource reuse during the year. Program efforts resulted in disposition of equipment and materials at a cost savings to SNL/CA of \$53,200⁶. A low-level radioactive source contained in one piece of reclaimed equipment was diverted from disposal as waste as a result of equipment reuse. Additionally, unopened latex paint that otherwise would have required disposal as hazardous waste was donated to the local community.



Several demonstrations of electric carts were organized by the Pollution Prevention and Waste Minimization Program during 2003. Employees were provided with an opportunity to test drive and evaluate the carts for onsite use. A purchase program was set-up to encourage replacement of existing gasoline powered carts with the more environmentally friendly electric carts.


In 2003, SNL/CA recycled 117.95 metric tons of material, excluding yard waste. Table 4-4 presents the quantity of each item recycled during the year.

Figure 4-1 depicts total quantity of materials recycled annually since 1999 (excludes yard waste). As shown, the quantity of materials recycled at SNL/CA decreased in 2003 compared to previous years. The decrease is primarily due to a decrease in the quantity of scrap metal generated in 2003.

⁶ Cost savings include the value of equipment or materials reused plus the cost of waste disposal.

Table 4-4 SNL/CA Recycling Data, 2003

Recycled Item	Quantity Recycled (metric tons)	Recycled Item	Quantity Recycled (metric tons)
Aluminum cans	0.42	Cardboard	13.32
Light tubes	1.60	Junk paper	3.40
Office paper	22.56	Scrap metals	38.09
Tires	0.33	Toner cartridges	0.49
Transparencies	0.03	Wood	31.05
Batteries	2.51	Engine oils	1.08
Coolant	0.00	Metal drums	0
Oil filters	0.34	Empty containers	0
Mercury	0.02	Resins	2.73

**Figure 4-1 Total Recycled Materials at SNL/CA, 1999 to 2003**

Waste Operations Program

In April 2003, SNL/CA completed the renovations of the Hazardous Waste Storage Facility which began in August 2002. The renovated facility provides updated safety controls, a new loading dock, and enclosed storage bays. Full operation of the renovated facility began in April 2004 (see Section 3.8.2 for additional information).

The Waste Operations Program continued with characterization of site-wide legacy radioactive sources having no further use. All sources are characterized for safe onsite storage and accountability, and are undergoing final characterization to meet Nevada Test Site disposal requirements. Packaging and disposal of items characterized during 2003 is expected to occur in 2004.

The Waste Operations Program implemented a new electronic disposal tag system in May 2003 to replace the paper-based waste identification tag. The new system allows generators to transmit hazardous waste information easily and efficiently to the Waste Operations Program. The electronic disposal tag system provides cradle to grave waste tracking, more effective monitoring of hazardous waste than the paper-based system, and data needed for pollution prevention reporting and waste charge-back activities.

The Waste Operations Program tracks and maintains a database of radioactive and hazardous waste generated at SNL/CA. Table 4-5 presents waste generation data for 2003. Data for 2002 is also included for comparison. As shown, the quantity of low-level radioactive waste generated in 2003 increased from that generated in 2002. This increase is attributed to SNL/CA's efforts to reduce radiologically controlled areas and to minimize stored radioactive materials. These efforts resulted in disposal of several large items of contaminated equipment. Although not tracked by the Waste Operations Program, sanitary waste is also shown.

Table 4-5 Waste Generated at SNL/CA, 2002 and 2003

Waste Type	2002 (kg)	2003 (kg)	Change (kg)	Percent Change
RCRA	38,985	22,149	-16,836	-43
California toxic (non-RCRA)	18,891	29,154	10,263	54
TSCA regulated	15,318	5,159	-10,159	-66
Biohazardous	35	43	8	23
Low-level radioactive	51	13,693	13,642	26,749
Low-level mixed	362	60	-302	-83
Sanitary	199,900	100,250	-99,650	-50

Intentionally Left Blank

5 Environmental Monitoring

Sandia National Laboratories, California (SNL/CA) monitors storm water, wastewater, groundwater, and gamma radiation. This chapter provides a summary of monitoring activities and results for each of these media. Both radiological and non-radiological data are presented.

SNL/CA does not directly monitor airborne effluents. Non-radiological (chemical) emission sources do not require routine or continuous monitoring of ambient air quality concentrations. However, SNL/CA does maintain equipment and process usage records (e.g. hours of operation or quantity of solvents used) for emission sources. Similarly, there are no radionuclide emission sources that require routine monitoring. SNL/CA maintains an inventory of radioactive isotopes (small quantity sealed and unsealed sources), and operates several radiation generating devices. However, emission monitoring is not required for these materials and devices.

Typically, radiological emission data that would be obtained from radionuclide effluent monitoring is used to evaluate the potential effect that a particular sites operations may have on local populations and the environment. Because there are no radionuclide emission sources and no monitoring data for site operations, calculations for maximum individual dose or collective population dose are not possible. As an alternative to these calculations, SNL/CA compares gamma radiation data collected at the site perimeter to offsite data. Results of this comparison are presented in Section 5.4.

SNL/CA is not required to monitor biota or vegetation. The Department of Energy (DOE) RAD-BCG Calculator, a computer tool developed by DOE, was used to determine the level of monitoring required. The results from applying the calculator tool show that biota and vegetation monitoring is not required at SNL/CA (Holland 2002).

5.1 Storm Water

All storm water runoff from SNL/CA is conveyed to the Arroyo Seco, which discharges into Alameda Creek and eventually to the San Francisco Bay. Storm water that flows off buildings, material-handling areas, parking lots, and other impervious surfaces, may pick up pollutants, such as oil and grease, soil, litter, pesticides, and fertilizers. During heavy or continuing storms, runoff may transport pollutants to Arroyo Seco before the storm water has time to evaporate or infiltrate into the ground.

To assess the impact of site operations to storm water discharges, SNL/CA collects samples of surface runoff at nine⁷ locations around the site. These locations, identified on Figure 5-1, were selected because they provide the best representation of drainage areas and activities onsite. Each of the nine locations is sampled twice each wet season, once each during two separate storm events. The wet season is from October 1 through May 31. Because any one storm may not produce enough runoff to allow for sample collection at all nine locations, sampling during more than two storm events is generally required.

Analytical Parameters – Stormwater

- Specific conductivity
- pH
- Total suspended solids
- Oil and grease
- Cyanide
- Metals
- Chemical oxygen demand
- Nitrite + nitrate
- Ammonia
- Tritium

Storm water discharges at SNL/CA are covered under the State of California NPDES General Permit for Storm Water Discharge Associated with Industrial Activities (General Permit) (California Water Resources Control Board 1997). The General Permit does not establish water quality standards for storm water discharges. Consequently, a comparison of analytical results with regulatory standards cannot be made. Instead the analytical data obtained from monitoring storm water discharge is used to optimize storm water pollution prevention activities at SNL/CA.

Analytical results of storm water sampling for the 2002/2003 wet season (October 2002 through May 2003) are presented in Table 5-1. No pollutants were detected in storm water runoff at levels that are a cause for concern. The concentrations of constituents detected in storm water are similar to those detected historically.

Annually, SNL/CA evaluates storm water pollution prevention practices at each drainage location as part of its monitoring activities. A discharge of non-contact cooling water to the storm drain was found during May 2003. By working with program personnel, a location for discharge to the sanitary sewer was found, and operating procedures were changed to eliminate this discharge to the storm drain.

During years of sufficient runoff, SNL/CA compares the analytical results from storm water entering the site to storm water exiting the site. In 2003, there was insufficient runoff at the inlet location to collect samples for analyses. Consequently, a comparison could not be made.

5.2 Wastewater

Wastewater effluent generated at SNL/CA consists of sanitary and laboratory discharges. Sanitary effluent is discharged directly to the sewer system. Sewer discharges exit the site through a sewer outfall located at the northern boundary, and join with the Lawrence

⁷ Nine of the ten sampling locations shown on Figure 5-1 are sampled for the storm water program. Station N is used to monitor erosion from the Navy Landfill.

Livermore National Laboratory (LLNL) sewer system. Laboratory discharges are generated from general research activities, and from operations that qualify as categorical processes subject to Federal pretreatment standards. Laboratory effluent from most laboratory areas is diverted to liquid effluent control system (LECS) holding tanks prior to discharge to the sanitary sewer. SNL/CA monitors wastewater at the sewer outfall, LECS tanks, and at categorical process point sources.




Figure 5-1 Storm Water Sampling Locations

5.2.1 Sewer Outfall

SNL/CA operates a sewer outfall and monitoring station at the northern site boundary to continuously monitor wastewater for flow and pH. Samples are also collected at the outfall to monitor compliance with wastewater discharge limits established in the site's *Wastewater Discharge Permit*. The outfall sampling schedule and analytical parameters are presented in Table 5-2. Consistent with permit requirements, SNL/CA does not analyze wastewater samples collected at the sewer outfall for radioactive constituents.

A summary of analytical results for physical parameters and metals from the SNL/CA sanitary sewer outfall is presented in Table 5-3. In 2003, all liquid effluent from the outfall

Table 5-1 Summary of Analytical Results for Storm Water, 2002/2003 Wet Season

Parameter	Number of Samples Analyzed	Number Found Below Detection Limit	Detection Limit	Minimum Concentration	Maximum Concentration
Total suspended solids	9	0	3 mg/L	8 mg/L	710 mg/L
Specific conductivity	9	0	1 µmho/cm	30 µmho/cm	83 µmho/cm
pH	9	0	None	5.5	8.6
Oil and grease	9	6	1 mg/L	<1.0 mg/L	1.8 mg/L
Chemical oxygen demand	9	0	5 mg/L	22 mg/L	120 mg/L
Cyanide	9	9	0.01 mg/L	<0.01 mg/L	<0.01 mg/L
Tritium	9	9	596 pCi/L	<596 pCi/L	<596 pCi/L
Aluminum	9	0	0.05 mg/L	0.44 mg/L	27 mg/L
Arsenic	9	6	0.005 mg/L	<0.005 mg/L	<0.007 mg/L
Cadmium	9	9	0.002 mg/L	<0.002 mg/L	<0.002 mg/L
Iron	9	0	0.12 mg/L	0.39 mg/L	39 mg/L
Lead	9	3	0.005 mg/L	<0.005 mg/L	0.026 mg/L
Magnesium	9	0	0.10 mg/L	0.6 mg/L	7.9 mg/L
Mercury	9	9	0.0002 mg/L	<0.0002 mg/L	<0.0002 mg/L
Selenium	9	9	0.002 mg/L	<0.002 mg/L	<0.002 mg/L
Silver	9	9	<0.005 mg/L	<0.005 mg/L	<0.005 mg/L
Zinc	9	0	0.02 mg/L	0.11 mg/L	0.63 mg/L
Ammonia-N	9	9	0.5 mg/L	<0.5 mg/L	<0.5 mg/L
Nitrite + nitrate	9	1	0.05 mg/L	<0.05 mg/L	1.0 mg/L

Table 5-2 Sewer Outfall Sampling Schedule, 2003

Frequency	Sample Type	Analytical Parameter
Daily	Composite	Archive sample; analyzed only when weekly composite sample shows concentration greater than or equal to 50% of discharge limit for metals.
Weekly	Composite	Metals
Monthly	Composite	Total dissolved solids Total suspended solids Biochemical oxygen demand Chemical oxygen demand
Monthly	Grab	Cyanide EPA priority organic pollutants

complied with the site outfall discharge limits for regulated physical parameters and most metals. The site exceeded the discharge limit for copper one time in 2003. The exceedance was found in a daily sample collected on March 1, 2003. Weekly monitoring results for 2003 are consistent with results obtained over the past eleven years. Figures 5-2 and 5-3 show the

trend in weekly monitoring results over this eleven-year period. Because the data represent weekly composite analyses, Figures 5-2 and 5-3 do not include daily exceedances. As shown, the site has experienced a gradual upward trend in levels of both copper and zinc at the sewer outfall.

Table 5-3 Weekly Composite Sewer Outfall Monitoring Results – Physical Parameters and Metals, 2003

Parameter	Number of Samples Analyzed	Quantity Found Below Detection Limit	Detection Limit	Sewer Discharge Limit	Minimum Concentration	Maximum Concentration
Total suspended solids	12	0	5 mg/L	None	68 mg/L	3200 mg/L
Total dissolved solids	12	0	5 mg/L	None	82 mg/L	450 mg/L
Biochemical oxygen demand	12	0	5 mg/L	None	28 mg/L	800 mg/L
Chemical oxygen demand	12	0	5 mg/L	None	390 mg/L	1500 mg/L
Cyanide	12	11	0.01 mg/L	0.04 mg/L	<0.01 mg/L	<0.02 mg/L
Arsenic	53	49	0.005 mg/L	0.06 mg/L	<0.005 mg/L	0.006 mg/L
Cadmium	53	52	0.005 mg/L	0.14 mg/L	<0.005 mg/L	0.008 mg/L
Chromium	53	34	0.01 mg/L	0.62 mg/L	<0.01 mg/L	0.06 mg/L
Copper ^a	53	0	0.01 mg/L	1 mg/L	0.03 mg/L	0.64 mg/L
Lead	53	53	0.05 mg/L	0.2 mg/L	<0.05 mg/L	<0.05 mg/L
Mercury	53	39	0.0005 mg/L	0.01 mg/L	<0.0005 mg/L	0.001 mg/L
Nickel	53	53	0.02 mg/L	0.61 mg/L	<0.02 mg/L	0.02 mg/L
Silver	53	52	0.01 mg/L	0.2 mg/L	<0.01 mg/L	0.02 mg/L
Zinc	53	0	0.02 mg/L	3 mg/L	0.13 mg/L	0.97 mg/L

^a Data does not include analytical results for daily samples. Therefore, the copper exceedance on March 1, 2003 of 4.4 mg/L is not shown in the table.

Copper has been the pollutant of most concern at SNL/CA over the past few years. The last four exceedances of sanitary sewer discharge limits were copper exceedances. As noted in sections 3.10 and 3.13, SNL/CA identified one source of copper contributing to the exceedance in 2003. Ongoing efforts will continue to identify other potential sources of copper in wastewater. Trends will be closely monitored so that controls can be implemented and impacts minimized.

Sewer outfall samples are also analyzed for priority pollutants that are listed by the U.S. Environmental Protection Agency (EPA) as toxic organics. Because the list is lengthy, SNL/CA routinely reports only positively identified organic constituents. In 2003, sewer outfall samples showed concentrations of chloroform (<0.5 - 11 µg/L), bromoform (5.5 µg/L), and dibromochloromethane (5.8 µg/L). All other constituents on the EPA toxic organic list were below minimum detection limits. The toxic organic discharge limit for the site is 1000 µg/L. In 2003, SNL/CA did not exceed this discharge limit.




Figure 5-2 Weekly Composite Copper Concentrations in Wastewater, SNL/CA Sewer Outfall




Figure 5-3 Weekly Composite Zinc Concentrations in Wastewater, SNL/CA Sewer Outfall

5.2.2 *Liquid Effluent Control System*

Laboratory effluent is diverted to LECS holding tanks where wastewater can be sampled and analyzed prior to release to the sewer system. SNL/CA operates six LECS. Wastewater from LECS tanks is typically analyzed for metals. Analyses for other parameters associated with the process generating the wastewater, may also be done. Five of the LECS tanks are also continuously monitored for pH. One LECS tank is monitored every few years for tritium and uranium; however, in 2003, analyses for radioactive constituents were not warranted.

Wastewater that does not meet the discharge limits at the sewer outfall is transferred to Waste Operations for disposal. Depending on the constituents of the wastewater, it may be disposed as hazardous or non-hazardous waste. In 2003, SNL/CA disposed of one tank of wastewater containing an elevated level of silver.

5.2.3 *Categorical Processes*

Three research operations at SNL/CA are defined as Federal categorical processes subject to the Environmental Protection Agency's pretreatment standards for point sources (40 CFR Part 403, 40 CFR Part 433). These categorical processes include two metal finishing operations and a semiconductor manufacturing operation.⁸ Wastewater from two of these processes is sampled semiannually. One of the metal finishing operations is a closed-loop system that does not discharge effluent to the sanitary sewer, and, therefore, wastewater monitoring is not required.

Samples collected from the metal finishing operation are analyzed for pH, arsenic, metals, and toxic organic pollutants. Samples collected from the semiconductor manufacturing operation are analyzed for pH, arsenic, and toxic organic pollutants.

The metal finishing operation was shut down in April 2003 following the discovery of leaks from the plating baths. (Leaks were confined to the building interior and cleaned up.) The plating line has been replaced with new equipment, and operation is expected to resume in early 2004. For this reason, only one sample was collected from this process during 2003. Results from this sample are shown in Table 5-4.

A summary of semiannual monitoring results for the semiconductor manufacturing operation is presented in Table 5-5. In 2003, all wastewater from this operation met the pretreatment standards.

⁸ The semiconductor manufacturing operation is a research and development activity exempt from local air pollution regulations.

Table 5-4 Batch Discharges and Monitoring for Metal Finishing Categorical Process, 2003

Parameter	Number of Samples Analyzed	Number Found Below Detection Limit	Detection Limit	Minimum Concentration	Maximum Concentration	Permit Limit ^a
pH	7	0	None	6.4	7.2	5-10 ^b
Arsenic ^c	7	7	0.005 mg/L	<0.005 mg/L	0.005 mg/L	None
Cadmium	7	7	0.005 mg/L	<0.005 mg/L	<0.005 mg/L	0.26 mg/L
Chromium	7	0	0.01 mg/L	<0.10 mg/L	0.32 mg/L	1.71 mg/L
Copper	7	0	0.01 mg/L	<0.05 mg/L	0.36 mg/L	2.07 mg/L
Lead	7	6	0.05 mg/L	<0.05 mg/L	0.08 mg/L	0.43 mg/L
Mercury ^c	7	6	0.0005 mg/L	<0.0005 mg/L	0.0006 mg/L	None
Nickel	7	7	0.02 mg/L	<0.02 mg/L	<0.02 mg/L	2.38 mg/L
Silver	7	7	0.01 mg/L	<0.01 mg/L	<0.01 mg/L	0.24 mg/L
Zinc	7	7	0.02 mg/L	<0.02 mg/L	<0.02 mg/L	1.48 mg/L
Cyanide	1	1	0.02 mg/L	<0.02 mg/L	<0.02 mg/L	0.65 mg/L
Total toxic organics	1	0	Range ^d	0.210 mg/L	0.210 mg/L	2.13 mg/L ^e

^a Monthly average.^b Permit limit for site outfall.^c Analyses for arsenic and mercury are not required. Results are reported for informational purposes only.^d Detection limits for the various organics included in this value range from 0.005 to 0.130 mg/L.^e The limit for total toxic organics is a daily maximum concentration.**Table 5-5 Monitoring for Semiconductor Manufacturing Categorical Process, 2003**

Parameter	Number of Samples Analyzed	Number Found Below Detection Limit	Detection Limit	Minimum Concentration	Maximum Concentration	Permit Limit (daily max)
pH	2	0	None	6.8	9.1	6-9
Arsenic	2	2	0.002 mg/L	<0.002 mg/L	<0.002 mg/L	None
Total toxic organics	2	0	Range ^a	0.198 mg/L	0.210 mg/L	1.37 mg/L

^a Detection limits for the various organics included in this value range from 0.005 to 0.130 mg/L

5.3 Groundwater

SNL/CA has eight groundwater monitoring wells. Sandia monitors groundwater at three former restoration areas and along Arroyo Seco. Four groundwater monitoring wells are used to monitor residual contamination at former restoration areas under a 1989 site clean-up order issued by the Regional Water Quality Control Board, San Francisco Bay Region. Two of these wells are located at the Fuel Oil Spill site, and one each at the Trudell Auto Repair Shop site and the Navy Landfill. Four monitoring wells are located along Arroyo Seco to

monitor the effect of site operations on groundwater quality. Well # AS-4 is located upgradient of the developed area of the site and provides background data about local groundwater quality. Groundwater monitoring well locations are shown on Figure 5-4. Table 5-6 provides the sampling schedule for each well location.

Table 5-6 Groundwater Sampling Schedule, 2003

Well location	Sampling frequency	Analytical parameter
Fuel Oil Spill site	Semi-annually	Benzene, toluene, ethylbenzene, and xylenes (BTEX) (EPA 602); total petroleum hydrocarbons diesel-methane (TPHD) (8015); water elevation
Trudell Auto Repair Shop site	Annually	Volatile halogenated organics (EPA 601); water elevation
Navy Landfill	Quarterly	Volatile halogenated organics (EPA 601); water elevation
Arroyo Seco	Annually	Metals, volatile halogenated organics (EPA 601), total petroleum hydrocarbons-diesel (8015), tritium, water elevation
Arroyo Seco	Every two years	General minerals

A summary of groundwater analytical results for the Navy Landfill and Trudell site is presented in Table 5-7. Groundwater analytical results for Arroyo Seco wells are summarized in Table 5-8. All wells at the Fuel Oil Spill site were dry during 2003, consequently no samples were collected. Complete groundwater analytical results are provided in Chapter 9. As a point of reference, analytical results are compared to federal and state maximum contaminant levels (MCLs), which are applicable for drinking water sources. There are no wells at SNL/CA used as a source for drinking water and MCLs are not standards applied to groundwater at the site.

As in past years, SNL/CA continued to detect carbon tetrachloride at the Navy Landfill well (NLF-6) in 2003. Concentrations detected in 2003 are similar to those detected in past years. The tetrachloroethene (PCE) contamination found at MW-406 is similar to that found in the past. This contamination is from prior operations at LLNL and part of an ongoing LLNL remediation program.






Figure 5-4 Groundwater Monitoring Well Locations

Table 5-7 Summary of Groundwater Analyses at Navy Landfill and Trudell Wells, 2003

	Date	Trichloromethane ^a (chloroform) µg/L	Carbon Tetrachloride ^a µg/L	Tetrachloroethene ^a (PCE) µg/L
Detection limit		0.5	0.5	0.5
MCL – California			0.5	5
MCL – Federal		100	5	5
Navy Landfill				
NLF-6	3/12/03	ND	ND	ND
NLF-6	6/25/03	ND	0.8	ND
NLF-6	9/30/03	ND	0.9	ND
NLF-6	12/03/03	ND	ND	ND
Trudell				
MW-406	12/03/03	ND	ND	1.9

^a All other EPA 601 parameters were non-detectable.

MCL – Maximum contaminant levels.

ND – Non-detectable.

Table 5-8 Summary of Groundwater Analyses at Arroyo Seco Wells, 2003

General Minerals ^a													
	Date	EPA 601	Diesel (8015) µg/L	Tritium pCi/L	Fe mg/L	Al mg/L	Total Dissolved Solids mg/L	Mg mg/L	Alkalinity as CaCO3 mg/L	Nitrate Mg/L	Bicarbonate mg/L	Specific Conductance µmhos/cm	pH
Detection limit			50	290	0.05	0.05	5.0	0.1	1	1	0.005	0.005	0.01
MCL - California											1	0.01	
MCL – Federal											2	0.005	
AS-3A	6/18/02	ND	ND	<290	0.13	0.07	620	36	230	4.1	230	1000	7.6
AS-3B	6/18/02	ND	ND	750	0.69	0.39	720	44	240	4.7	240	1100	7.5
AS-3C	6/18/02	ND	ND	<280	<0.05	<0.05	470	21	72	29	60	730	8.6
AS-4	6/18/02	ND	ND	<290	0.61	0.49	1300	82	400	<1	400	2100	7.5

^a All other general mineral parameters were non-detectable.

MCL – Maximum contaminant levels.

ND – Non-detectable.

5.4 Radiation Monitoring

SNL/CA monitors gamma radiation to ensure that site operations are not contributing significantly to the ambient radiation dose in the surrounding environment. Onsite sources that could contribute to gamma radiation include small, unsealed radioactive isotopes, sealed sources, and several radiation generating devices. SNL/CA maintains four onsite monitoring stations equipped with thermoluminescent dosimeters. Monitoring stations are shown on Figure 5-5. The dosimeters are collected and evaluated quarterly. The data obtained from Sandia monitoring stations is combined with that from LLNL monitoring stations located around the perimeter of the Sandia site to determine the average annual gamma radiation dose at the site perimeter. The combined dose is then compared to the average annual gamma radiation dose at more distant locations in the Livermore Valley, shown on Figure 5-6. If site operations were contributing significantly to the gamma radiation dose, the dosimeters at the site perimeter would show a higher dose than those at more distant locations.

In 2003, the average annual perimeter dose was 54.3 mrem (0.54 mSv). The average annual dose measurement for distant locations was 53.9 mrem (0.54 mSv). The 2003 data for both perimeter and distant locations are within the range measured over the last ten years. Since 1992, the average annual dose at the SNL/CA perimeter ranged from 54.3 mrem to 68 mrem. Over this same period, the average annual dose measured at distant locations ranged from 53.4 mrem to 73 mrem.

The difference between the perimeter and distant location measurements for 2003 is attributed to normal fluctuations and natural variations in ambient radiation. SNL/CA does not appear to be a significant contributor to gamma radiation dose in the surrounding environment.




Figure 5-5 Dosimeter Locations at SNL/CA and Around Site Perimeter




Figure 5-6 Dosimeter Locations in Livermore Valley

Intentionally Left Blank

6 Quality Assurance

The Sandia Corporate Quality Assurance Program, defined in CPR001.3.2 (SNL 2003), is implemented in California through the Sandia National Laboratories, California (SNL/CA) Quality Assurance Program (QAP) (SNL/CA 2003b) and the Quality Assurance Program Plan (QAPP) (SNL/CA 2003a). Compliance with the QAP and QAPP satisfy the requirements established in the Department of Energy (DOE) Nuclear Safety Management Regulations, Subpart A, Quality Assurance Requirements (10 CFR 830), and *DOE Order 414.1A, Quality Assurance* (DOE 2001a). Quality assurance requirements are incorporated into all site operations, including the Environmental Monitoring and Restoration Program.

6.1 Program Quality Assurance

The Environmental Monitoring and Restoration Program ensures quality in its activities through implementation of quality assurance plans and procedures. A program-specific QAPP addresses each of the ten criteria listed above, and documents quality assurance activities performed for the program (SNL 1998). The *Environmental Monitoring Plan* provides a detailed description of the monitoring and surveillance activities conducted at SNL/CA (SNL 2002b). Additional program operating procedures specify training requirements, establish work processes, define data verification and validation processes, and identify reporting and records management requirements. The operating procedures are reviewed by subject matter experts and approved by the Environmental Operations Department Manager.

DOE Order 414.1A identifies ten criteria that are integral to a quality program:

- Quality assurance plan
- Personnel training and qualification
- Quality improvement process
- Documents and records
- Established work processes
- Established standards for design and verification
- Established procurement requirements
- Inspection and acceptance testing
- Management assessment
- Independent assessment

6.2 Environmental Sampling

The protocol for environmental sampling at SNL/CA is contained in activity specific operating procedures. Elements of the protocol include appropriate sampling methods and equipment; sampling frequency; sampling locations; and sample handling, storage, and packaging. Implementation of the established protocol ensures that samples are representative of the environmental medium monitored and that monitoring requirements outlined in permits, DOE orders, and regulations are met. Chain-of-custody protocols are

also used to ensure quality control through proper transfer of samples from the point of collection to the analytical laboratory.

6.3 Sample Analyses

Analyses of samples collected at SNL/CA are performed using one of three avenues, depending on the sample medium or constituent analyzed. The three avenues are: a State accredited laboratory; the SNL/CA Health Protection Laboratory; or the Sandia National Laboratories, New Mexico (SNL/NM) Health Instrumentation Laboratory.

6.3.1 *Accredited Laboratory*

A State of California accredited laboratory performs analyses of non-radiological samples collected at SNL/CA. To receive accreditation, a laboratory must implement a quality assurance plan. These laboratories are periodically inspected by the California Environmental Protection Agency to ensure that they are operating within regulatory and quality assurance requirements. Consistent with industry standards, non-radiological samples are processed according to Federal Environmental Protection Agency methods.

In November 2003, SNL/CA Environmental Monitoring and Restoration Program personnel conducted an independent audit of the contract laboratory that is used for processing wastewater, storm water, and groundwater samples collected onsite. The audit included reviews of sample receiving, sample tracking, instrument calibration records, personnel training records, and data review and validation. All areas audited were found to be in compliance with applicable requirements.

6.3.2 *SNL/CA Health Physics Laboratory*

Tritium analyses of storm water are performed by the SNL/CA Health Protection Department in an onsite laboratory. These samples are analyzed by liquid scintillation counting, a standard technique for tritium analysis. The Health Physics Laboratory follows the guidance in the Sandia National Laboratories (SNL) Radiation Protection and Laboratory Services Quality Plan (SNL 2002d), and meets the Sandia and DOE quality criteria.

6.3.3 *SNL/NM Health Instrumentation Laboratory*

Thermoluminescent dosimeters used to collect gamma radiation measurements are processed by the Health Instrumentation Department at SNL/NM following established protocols and quality assurance/quality control requirements under the SNL Radiation Protection and Laboratory Services Quality Plan (SNL 2002d). Automated equipment is used to process the samples and analyze the resulting data.

6.4 Data Verification and Validation

SNL/CA conducts data verification and validation to ensure that environmental data is precise, accurate, representative, comparable, and complete. Verification and validation is accomplished through analyses of quality control samples and by conducting statistical analyses.

6.4.1 *Quality Control Samples*

Types of quality control samples prepared for the Environmental Monitoring and Restoration Program include duplicate, spiked, and blank samples. A definition of each sample type follows.

- *Duplicate samples* are collected at the same time and location, and follow the same method, as a routine sample. These samples are used to assess the precision of sample collection and analytical processes.
- *Spiked samples* resemble a routine sample, but contain a known amount of one or more of the constituents of interest. These samples are obtained from an independent laboratory that certifies the concentration of the constituents.
- *Blank samples* resemble a routine sample matrix (e.g. deionized water is used for blank water samples), but lack the constituents of interest. These samples are used to assess background levels of constituents, and possible contamination of the samples in the laboratory or in the field.

SNL/CA's goal for number of quality control samples is 20% of the total sample load, where feasible. This includes quality control samples initiated at the laboratory. In 2003, SNL/CA collected 12 wastewater quality control samples representing 22% of the sample load, and six groundwater samples representing 66% of the sample load. One storm water quality control sample was collected during the 2002/2003 wet season, representing 12% of the sample load.

6.4.2 *Statistical Analyses*

Statistical analyses are used to determine completeness, precision, and accuracy of monitoring and surveillance data. Prior to performing statistical analyses, the data is normalized to ensure that valid results are obtained. Descriptions of the statistical tests follow.

Completeness is evaluated by determining the ratio between the number of samples collected and the number of samples scheduled for collection. The data quality objective for completeness is 85%.

Precision is evaluated using three methods: determining the ratio between routine and duplicate samples; tests of significant difference; and calculating the 95% confidence interval. Data quality objectives vary for precision depending on the results of laboratory analyses.

Accuracy is also evaluated using three methods: determining the ratio between sample results and known values of spiked samples; tests of significant difference; and calculating the 95% confidence interval. Data quality objectives vary for accuracy depending on the results of laboratory analyses.

Table 6.1 summarizes the results of statistical analyses conducted in 2003. The results show that only one statistical test did not pass. This test, was a t-test of the difference between routine and duplicate samples for total dissolved solids in the sanitary sewer. Test results are attributed to the highly heterogeneous nature of the sanitary sewer sample.

Table 6-1 Summary of Statistical Analyses, 2003

Sample Medium	Completeness Test	Precision Test		Accuracy Test	
	Results	# of Tests	Results	# of Tests	Results
Wastewater (sanitary sewer) ^b	100%	12	11 of 12 passed	--	--
Storm water ^b	40% ^a	11	11	--	--
Groundwater ^b	100%	1	1	--	--

^a The low percentage of samples collected was reflective of the lack of rainfall at times samples could be collected, not a failure of the sampling system. A nonconformance report was not required.

^b It was not possible to run accuracy tests on the samples because quality control samples were not collected.

7 References

- 22 California Code of Regulations (CCR), Division 4.5, Environmental Health Standard for Management of Hazardous Waste.
- 10 Code of Federal Regulations (CFR) Part 830, Department of Energy, Nuclear Safety Management, Subpart A, Quality Assurance Requirements, Federal Register Vol. 66, Number 7, January 10, 2001.
- 10 CFR Part 1021, Department of Energy, National Environmental Policy Act Implementing Procedures, January 1997.
- 40 CFR Part 61, National Emissions Standards for Hazardous Air Pollutants, Subpart H – National Emissions Standards for Emissions of Radionuclides Other Than Radon From Department of Energy Facilities, December 1989.
- 40 CFR Part 262.41, Environmental Protection Agency, Standards Applicable to Generators of Hazardous Waste, Subpart D, Record-keeping and Reporting, July 1, 2001.
- 40 CFR Part 403, Environmental Protection Agency, General Pretreatment Regulations for Existing and New Sources of Pollution.
- 40 CFR Part 433, Environmental Protection Agency, Metal Finishing Point Source Category.
- 7 United States Code (USC) §136, Federal Insecticide, Fungicide, and Rodenticide Act, 1972.
- 15 USC §2601 et. seq., Toxic Substances Control Act of 1976.
- 16 USC § 470, National Historic Preservation Act of 1966.
- 16 USC § 703 et. seq., Migratory Bird Treaty Act of 1918.
- 16 USC §1531 et. seq., Endangered Species Act of 1973.
- 33 USC §1251, Clean Water Act of 1977.
- 42 USC § 2011 et. seq., Atomic Energy Act of 1954.
- 42 USC § 6901 et. seq., Resource Conservation and Recovery Act of 1976.
- 42 USC § 6961, Federal Facility Compliance Act of 1992.
- 42 USC § 7401, Clean Air Act Amendments of 1990.

42 USC § 9601, Comprehensive Environmental Response, Compensation, and Liability Act of 1980.

42 USC §11001 et. seq., Superfund Amendments and Reauthorization Act of 1986, Emergency Planning and Community Right-to-Know Act.

42 USC §13101 et. seq., Pollution Prevention Act of 1990.

Assembly Bill 2185, California Hazardous Materials Release Response Plans and Inventory Law, 1987.

California Health and Safety Code § 25100 et. seq., Hazardous Waste Control Law.

California Health and Safety Code, Division 104, Part 14, §§ 117600-118360, Medical Waste Management Act.

California Regional Water Quality Control Board, San Francisco Bay Region (California RWQCB) 1989, Order No. 89-184, Revision of Site Cleanup Order, Sandia Corporation and U.S. Department of Energy, Livermore, December 1989.

California Water Resources Control Board 1997, State of California, NPDES General Permit for Storm Water Discharge Associated with Industrial Activities, April 1997.

California Water Resources Control Board 1999, State of California, NPDES General Permit for Storm Water Discharge Associated with Construction Activity, August 1999.

DOE 1986, Comprehensive Environmental Assessment and Response Program, Phase I: Installation Assessment, Sandia National Laboratories, Livermore, September, 1986.

DOE 1990, DOE Order 5400.1, change 1, General Environmental Protection Program, June 29, 1990.

DOE 1993, DOE Order 5400.5, change 2, Radiation Protection of the Public and the Environment, January 7, 1993.

DOE 2001a, DOE Order 414.1A, change 1, Quality Assurance, July 12, 2001.

DOE 2001b, DOE Order 435.1, change 1, Radioactive Waste Management, August 28, 2001.

DOE 2002a, Biological Assessment for Continued Operation of Sandia National Laboratories, California, July 15, 2002.

DOE 2003a, Final Site-wide Environmental Assessment of the Sandia National Laboratories/California, DOE/EA-1422, January 2003.

DOE 2003b, DOE order 450.1, Environmental Protection Program, January 15, 2003.

DOE 2003c, Site Wide Environmental Assessment for SNL/CA, Finding of No Significant Impact, March 20, 2003.

DOE 2003d, DOE Order 231.1A, Environment, Safety, and Health Reporting, August 19, 2003.

DOE 2004, U.S. Department of Energy's Pollution Prevention (P2) Program, DOE's Buying Recycled and Environmentally Preferable Products Program, FY 2003 EO 13101 Affirmative Procurement Results, <http://www.eh.doe.gov/p2/ap/sum2003.cfm>, March 24, 2004.

Executive Order (EO) 11988, Floodplain Management, Federal Register, Vol. 42, pp. 26951, May 25, 1977.

EO 11990, Protection of Wetlands, Federal Register, Vol. 42, pp. 26961, May 25, 1977.

EO 13101, Greening the Government Through Waste Prevention, Recycling, and Federal Acquisition, September 14, 1998.

EO 13148, Greening of the Government Through Leadership in Environmental Management, April 21, 2000.

Holland, Robert (Holland) 2002, BCG Worksheets, Aquatic System Data Entry and Terrestrial System Data Entry, 2002.

Matthews, Graham & Associates (Matthews) 2002, Management Plan for Arroyo Seco at Sandia National Labs, Livermore, CA, April 2002.

Sandia National Laboratories (SNL) 1997, Environment, Health, and Safety Manual (MN 471001), Section 6S – Toxic Substances Control Act (TSCA), December 3, 1997.

SNL 1998, Quality Assurance Program Plan, SAND 98-8003, June 1998.

SNL 2002a, Sandia National Laboratories, California Environmental Information Document, SAND 2002-8053, printed March 2002.

SNL 2002b, Environmental Monitoring Plan, SAND 2001-8237, May 2002.

SNL 2002c, Historic Building Survey, Sandia National Laboratories/California, October 30, 2002.

SNL 2002d, Quality Plan, Integrated Safety and Security Center, Radiation Protection and Laboratory Services, RPLS-00-02, November 13, 2002.

SNL 2003, Corporate Quality Assurance Program, Corporate Process Requirements No. CPR001.3.2, <http://www-irn.sandia.gov/policy/leadership/quality.html>, August 1, 2003.

SNL, California (SNL/CA) 2001, Standard Operating Procedure SP471911, Handling and Storage of Pesticides, May 24, 2001.

SNL/CA 2002a, Administrative Procedure for Conducting National Environmental Policy Act Reviews of Proposed Projects at Sandia National Laboratories, California, OP471343, Issue G, February 1, 2002.

SNL/CA 2002b, Sandia National Laboratories, California Environmental Information Document, March 2002.

SNL/CA 2002c, Operating Procedure 471741, Storm Drain Spill Prevention and Control, July 30, 2002.

SNL/CA 2002d, Sandia National Laboratories, California Environmental Operations Department Compliance Plan, December 2, 2002.

SNL/CA 2003a, Sandia National Laboratories, California Quality Assurance Program Plan, <https://wfsprod01.sandia.gov/groups/srn-uscitizens/documents/document/wfs070514.pdf>, May 12, 2003.

SNL/CA 2003b, Sandia National Laboratories, California Quality Assurance Program, <http://www.ran.sandia.gov/ctr/ctr2200/dpt2266/quality/plan.html>, May 23, 2003.

Senate Bill 14, California Hazardous Waste Source Reduction and Management Review Act of 1989.

United States District Court for the District of Columbia (US District Court) 2002, Case Number 01-1291 (RJL), Home Builders Associations of Northern California, et al., Plaintiffs, and El Dorado County, California, Intervenor-Plaintiff, v. Gale A. Norton, Secretary of the Department of Interior, et. al., Defendants, and Jumping Frog Research Institute, et al., Intervenor-Defendants, November 6, 2002.

United States Fish and Wildlife Service (USFWS) 2003, Proposed Rule, Listing of the Central California Distinct Population Segment of the California Tiger Salamander, Federal Register, May 23, 2003 (Volume 68, Number 100)

8 Glossary

Ambient air	The surrounding atmosphere, usually the outside air, as it exists around people, plants, and structures. It does not include the air next to emission sources.
Biochemical oxygen demand	A measure of the amount of dissolved oxygen that microorganisms need to break down organic matter in water. Used as an indicator of water quality.
Categorical process	An industrial process that discharges wastewater and is regulated under 40 CFR, Part 403.
Chemical oxygen demand	The amount of oxygen required to degrade the organic compounds of wastewater. Used to measure the overall level of organic contamination in wastewater.
Dose	A term denoting the quantity of radiation energy absorbed.
Dosimeter	A portable detection device for measuring the total accumulated exposure to ionizing radiation.
Effluent	A liquid or gaseous waste discharged to the environment.
Emission	A gaseous or liquid stream containing one or more contaminants.
Ephemeral stream	A stream that flows only for a short duration during and following rainfall.
External radiation	Radiation originating from a source outside the body.
Fluvial sediments	A sedimentary deposit consisting of material transported by, suspended in, or laid down by a river or stream.
Lacustrine sediments	Sediments formed in, or relating to, a lake.
Mixed waste	Waste that contains both radioactive and hazardous constituents.
pH	A measure of hydrogen ion concentration in an aqueous solution. Acidic solutions have a pH less than 7, basic solutions have a pH greater than 7, and neutral solutions have a pH of 7.

Riparian	Pertaining to, situated in, or adapted to living on the banks of rivers and streams.
Specific conductivity	Measure of the ability of a material to conduct electricity.
Strike-slip fault	A fault with horizontal movement along the break where slipping is parallel with the strike of the fault.
Thermoluminescent dosimeter	A type of dosimeter. After being exposed to radiation, the material in the dosimeter (lithium fluoride) luminesces upon being heated. The amount of light the material emits is proportional to the amount of radiation (dose) to which it was exposed.
Total dissolved solids	Solids in water that pass through a filter. A measure of the amount of material dissolved in water.
Total suspended solids	Solids in water that can be trapped in a filter. Solids can include silt, decaying plant and animal matter, industrial wastes, and sewage.
Transverse fault	A fault that strikes obliquely or perpendicular to the general structural trend of the region.

9 Groundwater Analytical Results

Table 9-1 Results of Groundwater Analyses at SNL/CA, 2003

Date		Dichlorodifluoromethane µg/L	Chloromethane µg/L	Vinyl Chloride µg/L	Bromomethane µg/L	Chloroethane µg/L	Trichlorofluoromethane µg/L	1,1-Dichloroethene µg/L	Methylene Chloride µg/L	Trans-1,2-Dichloroethene µg/L	1,1 Dichloroethane µg/L	Cis-1,2-Dichloroethene µg/L	Trichloromethane (chloroform) µg/L	1,1,1-Trichloroethane µg/L	Carbon Tetrachloride µg/L	1,2 Dichloroethane µg/L	Trichloroethene µg/L	1,2-Dichloropropane µg/L
Detection limit		2.0	0.5	1.0	1.0	0.5	0.5	0.5	2.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
MCL - California				0.5			150	6		10	5	6		200	0.5	0.5	5	5
MCL - Federal				2				7	5	100		70	100	200	5	5	5	5
Well ID																		
NLF-6	3/12/03	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.82	ND	ND	ND
	6/25/03	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.80	ND	ND	ND
	9/30/03	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.90	ND	ND	ND
	12/03/03	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.56	ND	ND	ND	ND	ND
MW-406	12/03/03	ND	ND	ND	0.73	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
AS-3A	6/25/03	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
AS-3B	6/25/03	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
AS-3C	6/25/03	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
FM-1	Dry in 2003	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
FM-7	Dry in 2003	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
AS-4	6/25/03	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

MCL – Maximum contaminant level.

ND – Non-detectable.

-- Not required to analyze or sample not collected.

Table 9-1 Results of Groundwater Analyses at SNL/CA, 2003 (continued)

Date		Bromodichloromethane µg/L	Cis-1,3-Dichloropropene µg/L	Trans-1,3-Dichloropropene µg/L	1,1,2-Trichloroethane µg/L	Tetrachloroethene µg/L	Dibromochloromethane µg/L	Chlorobenzene µg/L	Bromoform µg/L	1,1,2,2-Tetrachloroethane µg/L	1,3-Dichlorobenzene µg/L	1,4-Dichlorobenzene µg/L	1,2-Dichlorobenzene µg/L	Benzene µg/L	Toluene µg/L	Ethylbenzene µg/L	Xylenes µg/L	8015-Extractables µg/L	8015-Diesel (w/silica gel clean-up) µg/L
Detection limit		0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	50	50
MCL - California			05		32	5		30		1		5		1			1750		
MCL - Federal		100			5	5	100	100	100		600	75	600	5	1000	700	10000		
Well ID																			
NLF-6	3/12/03	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	--	--	--	--	--	--
	6/25/03	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	--	--	--	--	--	--
	9/30/03	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	--	--	--	--	--	--
	12/03/03	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	--	--	--	--	--	--
MW-406	12/03/03	ND	ND	ND	ND	1.9	ND	ND	ND	ND	ND	ND	ND	--	--	--	--	--	--
AS-3A	6/25/03	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	--	--	--	--	--	ND
AS-3B	6/25/03	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	--	--	--	--	--	ND
AS-3C	6/25/03	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	--	--	--	--	--	ND
FM-1	Dry in 2003	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
FM-7	Dry in 2003	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
AS-4	6/25/03	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	--	--	--	--	--	ND

MCL – Maximum contaminant level.

ND – Non-detectable.

-- Not required to analyze or sample not collected.

Table 9-1 Results of Groundwater Analyses at SNL/CA, 2003 (continued)

	Date	pH (standard units)	Conductance umhos/cm	Antimony mg/L	Arsenic mg/L	Barium mg/L	Beryllium mg/L	Cadmium mg/L	Chromium mg/L	Cobalt mg/L	Copper mg/L	Lead mg/L	Mercury mg/L	Molybdenum mg/L	Nickel mg/L	Selenium mg/L	Silver mg/L	Thallium mg/L	Vanadium mg/L
Detection limit		None	1	0.006	0.002	0.005	0.004	0.005	0.05	0.05	0.005	0.005	0.002	0.01	0.01	0.05	0.01	0.002	0.01
MCL - California					0.05	1		0.01	0.05		1 ^a	0.05	0.002			0.01	0.05		
MCL - Federal			900 ^a	0.006		2	0.004	0.005	0.1		1 ^a		0.002		0.1	0.05	0.1 ^a	0.002	
Well ID																			
NLF-6	3/12/03	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	6/25/03	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	9/30/03	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	12/03/03	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-406	12/03/03	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
AS-3A	6/25/03	7.6	1000	ND	ND	0.11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
AS-3B	6/25/03	7.5	1100	ND	ND	0.15	ND	ND	ND	ND	0.006	ND	ND	ND	ND	ND	ND	ND	ND
AS-3C	6/25/03	8.6	730	ND	ND	0.11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
FM-1	Dry in 2003	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
FM-7	Dry in 2003	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
AS-4	6/25/03	7.5	2100	ND	ND	0.079	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

^a Secondary drinking water standard.

MCL – Maximum contaminant level.

ND – Non-detectable.

-- Not required to analyze or sample not collected.

Table 9-1 Results of Groundwater Analyses at SNL/CA, 2003 (continued)

	Date	Zinc mg/L	Aluminum mg/L	Surfactants (MBAS) mg/L	Chloride mg/L	Nitrate (as Nitrogen) mg/L	Nitrate (as NO3) mg/L	Sulfate mg/L	Hydroxide Alkalinity mg/L	Carbonate mg/L	Bicarbonate mg/L	Iron mg/L	Total dissolved solids mg/L	Calcium mg/L	Potassium mg/L	Magnesium mg/L	Manganese mg/L	Sodium mg/L	Hardness mg/L	Tritium pCi/L
Detection limit		0.05	0.05	0.05	10	0.3	10	20	1	1	1	0.05	5	0.1	2	0.1	0.01	1.0	1	varies
MCL - California		5 ^a	1	0.5 ^a	500 ^a		45	500 ^a				0.3 ^a	1,000 ^a			0.05 ^a	0.05 ^a			20000
MCL - Federal		5 ^a	0.2 ^a	0.5 ^a	250 ^a	10		250 ^a				0.3 ^a	500 ^a			0.05 ^a	0.05 ^a			
Well ID																				
NLF-6	3/12/03	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	6/25/03	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	9/30/03	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
	12/03/03	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
MW-406	12/03/03	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
AS-3A	6/25/03	ND	0.07	ND	88	4.1	18	130	ND	ND	230	0.13	620	77	2.0	36	ND	78	340	<290
AS-3B	6/25/03	ND	0.39	ND	110	4.7	21	170	ND	ND	240	0.69	720	87	3.0	44	0.06	88	400	750
AS-3C	6/25/03	ND	ND	ND	68	6.5	29	150	ND	12	60	ND	470	29	2.0	21	ND	89	160	<280
FM-1	Dry in 2003	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
FM-7	Dry in 2003	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
AS-4	6/25/03	ND	0.49	ND	310	ND	ND	290	ND	ND	400	0.61	1300	130	3.0	82	0.01	210	660	<290

^aSecondary drinking water standard.

MCL – Maximum contaminant level.

ND – Non-detectable.

-- Not required to analyze or sample not collected.

Intentionally Left Blank

10 Distribution List

U.S. Department of Energy

Karen Agogino (18)
U.S. Department of Energy
Sandia Site Office
P.O. Box 5400, MS 0184
Albuquerque, NM 87185-5400

Jeff Irwin (MS 9221)
DOE Facility Representative
Sandia National Laboratories, California

Connie Soden (3)
NNSA Service Center
U.S. Department of Energy
Pennsylvania & H Street
Kirtland Air Force Base
Albuquerque, NM 87116

Alv Youngberg
NA-117/Germantown Bldg
U.S. Department of Energy
1000 Independence Ave, S.W.
Washington, D.C. 20585-1290

Dennis Miotla
NA-117/Germantown Bldg
U.S. Department of Energy
1000 Independence Ave, S.W.
Washington, D.C. 20585-1290

James Mangeno
NA-1
U.S. Department of Energy
1000 Independence Ave, S.W.
Washington, D.C. 20585

John Lehr
EM-34/Cloverleaf Bldg
U.S. Department of Energy
1000 Independence Ave, S.W.
Washington, D.C. 20585-2040

Ross Natoli (3)
EH-412/Forrestal Bldg
U.S. Department of Energy
1000 Independence Ave, S.W.
Washington, D.C. 20585

Ray Hardwick
EH-2/270 Corporate Square Building
U.S. Department of Energy
1000 Independence Ave, S.W.
Washington, D.C. 20585-0270

Glenn Podonsky
OA-1/Germantown Bldg
U.S. Department of Energy
1000 Independence Ave, S.W.
Washington, D.C. 20585-1290

Dave Stadler
EH-2
U.S. Department of Energy
1000 Independence Ave. S.W.
Washington, D.C. 20585

Norbert Golchert
Argonne National Laboratory
9700 S. Cass Avenue
Building 200, Room B-11
Argonne, IL 60439

Roger Dirkes
Battelle Pacific Northwest Laboratories
P.O. Box 999
Richland, WA 99352

Eva Hickey
Battelle Pacific Northwest Laboratories
P.O. Box 999, MS K-3-66
Richland, WA 99352

Ron Pauer
Lawrence Berkeley National Laboratory
One Cyclotron Road
Berkeley, CA 94720

Michael Ruggieri
Lawrence Berkeley National Laboratory
One Cyclotron Road
Berkeley, CA 94720

Lars Sohlt
Los Alamos National Laboratory
Environmental Surveillance Group
P.O. Box 1663, MS-K490
Los Alamos, NM 87545

Tom Buhl
Los Alamos National Laboratory
Environmental Surveillance Group
P.O. Box 1663, MS-K490
Los Alamos, NM 87545

John Murphy
Oak Ridge National Laboratory
P.O. Box 2008
MS-6198
Oak Ridge, TN 37831-6198

Jim Heffner
Savannah River Plant
Environmental Monitoring
Health Protection Department
Building 735A
Aiken, SC 29809

Don Cassairt
Fermilab
P.O. Box 500
Batavia, IL 60510

Arthur Biermann (L-629)
Lawrence Livermore National Laboratory
7000 East Avenue
Livermore, CA 94550

Ellen Raber (L-626)
Lawrence Livermore National Laboratory
7000 East Avenue
Livermore, CA 94550

Robert Bainer (L-627)
Lawrence Livermore National Laboratory
7000 East Avenue
Livermore, CA 94550

William Hoppes (L-627)
Lawrence Livermore National Laboratory
7000 East Avenue
Livermore, CA 94550

LLNL Public Information Office (L-790)
Lawrence Livermore National Laboratory
7000 East Avenue
Livermore, CA 94550

Other Federal Agencies

M. Dermer
U.S. Environmental Protection Agency
Region IX
75 Hawthorne Street
San Francisco, CA 94105

D. McGovern
U.S. Environmental Protection Agency
Region IX
75 Hawthorne Street
San Francisco, CA 94105

S. Rosenblum
U.S. Environmental Protection Agency
Region IX
75 Hawthorne Street
San Francisco, CA 94105

Joy Haftel
Congressional Information Services
4520 East-West Highway
Suite 800
Bethesda, MD 20814

Paul Weiss
Congressional Information Services
4520 East-West Highway
Suite 800
Bethesda, MD 20814

The Honorable Ellen Tauscher
U.S. House of Representatives
California 10th District
1801 N. California, Suite 103
Walnut Creek, CA 94596

The Honorable Ellen Tauscher
U.S. House of Representatives
California 10th District
1239 Longworth House Building
Washington DC 20515

State and Local Agencies

E. Bailey
California Department of Health Services
Radiologic Health Branch
P.O. Box 942732
MS 178
Sacramento, CA 94234-7320

Stephen Woods
California Department of Health Services
Radiologic Health Branch
P.O. Box 942732
MS 178
Sacramento, CA 94234-7320

Stephen Hsu
California Department of Health Services
Radiologic Health Branch
P.O. Box 942732
MS 178
Sacramento, CA 94234-7320

J. Wong
California Department of Health Services
Environmental Management Branch
2151 Berkeley Way, Room 133
Berkeley, CA 94704

Laurent Meillier
California Regional Water Quality Control
Board
San Francisco Bay Region
1515 Clay Street
Oakland, CA 94612

S. Gittings
Livermore Water Reclamation Plant
101 West Jack London Boulevard
Livermore, CA 94550

D. Greenwood
Livermore Water Reclamation Plant
101 West Jack London Boulevard
Livermore, CA 94550

James Guthrie
Director of Enforcement Services
Bay Area Air Quality Management District
939 Ellis Street
San Francisco, CA 94109

Robert Weston
Alameda County
Health Care Services Agency
Department of Environmental Health Services
1131 Harbor Bay Parkway
Alameda, CA 94501

Daniel Murphy
California Environmental Protection Agency
Department of Toxic Substances Control
Region 2, Facility Permitting Branch
700 Heinz Avenue, Suite 200
Berkeley, CA 94710

Mike Miller
Public Services Director
City of Livermore
3500 Robertson Park Road
Livermore, CA 94550

Linda Barton
City Manager
City of Livermore
1052 S. Livermore Avenue
Livermore, CA 94550

The Honorable Guy Houston
California State Assembly
15th District
Capitol Building, Room 4208
Sacramento, CA 95814

The Honorable Guy Houston
California State Assembly
15th District
1365 Chestnut Street, Suite A
Livermore, CA 94550

Scott Haggerty	MS 9007	D. Henson, 8200
Supervisor District 1	MS 9054	W.J. McLean, 8300
Alameda County Board of Supervisors	MS 9002	P.N. Smith, 8500
1221 Oak Street, Suite 536	MS 9003	K. Washington, 8900
Oakland, CA 94612	MS 9221	E. Cull, 8510
	MS 9221	J. Bartel, 8516 (5)
The Honorable Marshall Kamena	MS 9221	B. Larsen, 8516 (30)
Mayor of Livermore	MS 9221	R. Holland, 8516
1052 South Livermore Avenue	MS 9221	L. Gardizi, 8516
Livermore, CA 94550	MS 9221	A. Leo, 8516
	MS 9221	L. Farren, 8516
The Honorable Tom Torlakson	MS 9221	J. Harris, 8516
California State Senate	MS 9221	D.A. Wright, 8517
7 th District	MS 9221	T.B. Garcia, 8517
State Capitol Building, Suite 5061	MS 9221	M.E. Brynildson, 8517
Sacramento, CA 95814	MS 9131	H. Stryker, 8528 (3)
	MS 9111	M.E. Janes, 8528
The Honorable Tom Torlakson	MS 9031	K.C. Olsen, 11600
California State Senate	MS 0361	L. Jones, 7000
7 th District	MS 0186	D.H. Blanton, 3000
2801 Concord Blvd.	MS 1114	L.A. West, 3100
Concord, CA 94519	MS 0141	B. Krauss, 11000
	MS 0141	A. Blumberg, 11300
Individuals and Organizations	MS 1042	C. Fink, 3121
	MS 1042	S. Salinas, 3121
Mike and Ann Mueller	MS 1043	Environmental Information
2693 South Vasco Road		Management, 3131
Livermore, CA 94550	MS 1042	H.A. Hwang, 3121
	MS 1037	J.R. Caruthers, 3120
Marylia Kelley	MS 1050	A.J. Villareal, 3124
Tri-Valley CAREs	MS 1151	J.J. Thompson, 3125
2528 Old First Street	MS 1089	R.E. Fate, 6135
Livermore, CA 94550	MS 0939	R.N. Coy, 3102
	MS 1087	F.B. Nimick, 6132
Sandia National Laboratories	MS 9018	Central Technical Files,
		8945-1 (3)
MS 0101	P. Robinson, 1	Technical Library, 9616
MS 9001	M.E. John, 8000	Classification Office, 8511
MS 9951	L. Napolitano, 8100	Classification Office, 8511
MS 9405	R. Stulen, 8100	for DOE/OSTI